

**Artículo****Detalle**

#7703 CLEAR	LENTE
#7703 MILK	LENTE
#7708-1 TRANSP	LENTE 44.4x56.2mm, 10 METERS, 76.16deg.
#8002	LENTE 360 DEG.
#8102	LENTE 360 DEG.
.001X630 TAI	.001uF * 630V PO/ METALIZADO RADIAL
.0068X630 TAI	.0068uF * 630V PO/ METALIZADO RADIAL
.01X400	.01uF * 400V PO/ METALIZADO RADIAL
.022X630 TAI	.022uF * 630V PO/ METALIZADO RADIAL
.033X250	.033uF * 250V PO/ METALIZADO RADIAL
.047X250	.047uF * 250V PO/ METALIZADO RADIAL
.10X250	.10uF * 250V PO/ METALIZADO RADIAL
.10X400	.10uF * 400V PO/ METALIZADO RADIAL
.10X630	.10uF * 630V PO/ METALIZADO RADIAL
.1U 0603 Y5V SIN	CAP. CERAMICO 100nFx50V Y5V +80% SMD
.1U 0805 Y5V Z	0.1uF*50V CAPACITOR SMD 0805 80/-20%
.1U 0805X7R K	0.1uF*50V X7R MLCC 0805 10% 50V
.1U 1206 Y	0.1uF*50V CAPACITOR SMD 1206 Y
.1X275VAC	.1uF * 275Vac CLASS 2
.22U 0805 Y5V Z	0.22uF*50V CAPACITOR SMD 0805
.22U 1206 Y	0.22uF*50V CAPACITOR SMD 1206
.22X250 TAI	.22uF * 250V PO/ METALIZADO RADIAL
.22X400	.22uF * 400V PO/ METALIZADO RADIAL
.22X630	.22uF * 630V PO/ METALIZADO RADIAL
.33X400	.33uF * 400V PO/ METALIZADO RADIAL
.47U 0805Y5VZ 25	0.47 uF*25V CERAM. SMD 0805 Y5V 80%/-20%
.47U 0805Y5VZ 50	0.47uF*50V CAPACITOR SMD 0805
.47U 1206 LIK	0.47uF*16V CAPACITOR SMD 1206 20%
.47X250	.47uF * 250V PO/ METALIZADO RADIAL
.47X400	.47uF * 400V PO/ METALIZADO RADIAL
.68P 0805N	0.68P* 50V CERAMICO SMD 0805
.82P 0805N	0.82P* 50V CERAMICO SMD 0805
0 0805	SMD 0 OHM 1/8W +-5% 0805 T/R
0 1206	SMD 0 OHM 1/8W +-5% 1206 T/R
0.001X50 T LIK	CAP.CERAMCIO 0.001 uF * 50V
0.0047X50	CAP.CERAMICO 0.0047 uF * 50V
0.0082X50	CAP.CERAMICO 0.0082 uF * 50V
0.01X1000	CAP.CERAMICO 0.01 uF * 1000V
0.01X50 LIK	CAP.CERAMICO 0.01 uF * 50V
0.01X500	CAP.CERAMICO 0.01 uF * 500V
0.022X50 LIK	CAP.CERAMICO 0.022 uF * 50V
0.047X400V/MKT J	CAP. POLIESTER MKT 47nF x 400V
0.047X50 LIK	CAP.CERAMICO 0.047 uF * 50V
0.1X100V/MKT J	.1uF (100nF) * 100V PO/ MKT
0.1X25 LIK	CAP.CERAMICO 0.1 uF * 25V
0.1X25 T	CAP.CERAMICO 0.1 uF * 25V
0.1X50 LIK	CAP.CERAMICO 0.1 uF * 50V
0.1X50-S LIKET	CAP.CERAMICO 0.1 uF * 50V P=2.54mm
0.22X50	CAP.CERAMICO 0.22 uF * 50V
0.33X100V/MKT J	.33uF (330nF) * 100V PO/MKT
0.47X100V/MKT J	.47uF (470nF) * 100V PO/ MKT
0.50 1206	SMD 0.50 OHM 1/8W +/-5% 1206 T/R
0.68X400-S	0.68x400MPD poliester metal MAC PD:
00553-910	BORNERA DE PILA S/RESORTE

00553-920	BORNERA DE PILA C/RESORTE
1 0805	SMD 1 OHM 1/8W +-5% 0805 T/R
1.05MM-TK4100	TARJETA RFID 1.05mm (TAIWAN)
1.0PX50-S LIK	CAP.CERAMICO 1.0pF*50V P=2.54mm
1.0X400	1.0uF * 400V PO/ METALIZADO RADIAL
1.2PX50-S LIK	CAP.CERAMICO 1.2pF*50V P=2.54mm
1.5X400	1.5uF * 400V PO/ METALIZADO RADIAL
10 0805	SMD 10 OHM 1/8W +-5% 0805 T/R
10 1206	SMD 10 OHM 1/8W +-5% 1206 T/R
100 0805	SMD 100 OHM 1/8W +-5% 0805 T/R
100K 0603 5%	SMD 100K OHM 1/8W +-5% 0603 T/R
100K 0805	SMD 100K OHM 1/8W +-5% 0805 T/R
100K 1206	SMD 100K OHM 1/8W +-5% 1206 T/R
100N 0805 Y SUN	TS18 100nF*50V CAPACITOR SMD Y5V +/-20%
100NH 0805 SIN	BOBINA 100nH SMD 0805
100P 0805 NPO	100pF*50V CERAMICO SMD 0805
100PX50 LIK	CAP.CERAMICO 100pF*50V
10K 0805	SMD 10K OHM 1/8W +-5% 0805 T/R
10K 1206	SMD 10K OHM 1/8W +-5% 1206 T/R
10M 0805	SMD 10M OHM 1/8W +-5% 0805 T/R
10M 1206	SMD 10M OHM 1/8W +-5% 1206 T/R
10N 0805 X7R K	10nF*50V CAPACITOR SMD 0805 X7R K
10N 0805 Y	10nF*50V CAPACITOR SMD Y5V Z
10N 1206	10nF*50V CAPACITOR SMD 1206
10P 0805 NPO	10PF*50V CERAMICO SMD 0805
10PX50 LIK	CAP.CERAMICO 10pF*50V
12 0805	SMD 12 OHM 1/8W +-5% 0805 T/R
120 0805	SMD 120 OHM 1/8W +-5% 0805 T/R
120 1206	SMD 120 OHM 1/8W +-5% 1206 T/R
120K 0805	SMD 120K OHM 1/8W +-5% 0805 T/R
120K 1206	SMD 120K OHM 1/8W +-5% 1206 T/R
120PX50	CAP.CERAMICO 120pF*50V
1212	MINI SOFT TOUCH 12X12mm 12mm ALTURA
12-21SURC-S530A2	LED SMD RED
12-21SYGC-S530E1	LED SMD YELLOW/GREEN
12-21UYC-S530A2	LED SMD YELLOW
123-10R	IDC CONNECTOR 10PIN 90° C/TRABA
123-10S	IDC CONNECTOR 10PIN 180° C/TRABA
123-14R	IDC CONNECTOR 14PIN 90° C/TRABA
123-14S	IDC CONNECTOR 14PIN 180° C/TRABA
123-16S	IDC CONNECTOR 16PIN 180° C/TRABA
123-20S	IDC CONNECTOR 20PIN 180° C/TRABA
123-26S	IDC CONNECTOR 26PIN 180° C/TRABA
123-40R	IDC CONNECTOR 40PIN 90° C/TRABA
12K 0805	SMD 12K OHM 1/8W +-5% 0805 T/R
12K 1206	SMD 12K OHM 1/8W +-5% 1206 T/R
12P 0805 N	12PF*50V CERAMICO SMD 0805
12PX50 NPO LIK	CAP.CERAMICO 12pF*50V NPO
15 0805	SMD 15 OHM 1/8W +-5% 0805 T/R
15 1206	SMD 15 OHM 1/8W +-5% 1206 T/R
150 0805	SMD 150 OHM 1/8W +-5% 0805 T/R
150 1206	SMD 150 OHM 1/8W +-5% 1206 T/R
150 2512 LIK	SMD 150 OHM +-5% 2512 T/R
150K 0805	SMD 150K OHM 1/8W +-5% 0805 T/R
150K 1206	SMD 150K OHM 1/8W +-5% 1206 T/R
150NH 3216 SIN	BOBINA 150nH SMD 1206 +/-10%

150P 0805 NPO	150pF*50V CERAMICO SMD 0805
150PX50 LIK	CAP.CERAMICO 150pF*50V
151-10S	HEADER BRIDGE-10 PIN
154J/250V	.15uF * 250V PO/ METALIZADO RADIAL
15K 0805	SMD 15K OHM 1/8W +-5% 0805 T/R
15K 1206	SMD 15K OHM 1/8W +-5% 1206 T/R
15P 0805 N	15PF*50V CERAMICO SMD 0805
164-02A06	BOBINA VARIABLE DE RF (26nH-34nH)
16K5B100KL	POTENTIOMETER 100K 15KC ROTARY
18 0805	SMD 18 OHM 1/8W +-5% 0805 T/R
180 0805	SMD 180 OHM 1/8W +-5% 0805 T/R
180 1206	SMD 180 OHM 1/8W +-5% 1206 T/R
180K 0805	SMD 180K OHM 1/8W +-5% 0805 T/R
180K 1206	SMD 180K OHM 1/8W +-5% 1206 T/R
180P 0805 NPO	180 PF *50V CERAMICO SMD 0805
18K 0805	SMD 18K OHM 1/8W +-5% 0805 T/R
18K 1206	SMD 18K OHM 1/8W +-5% 1206 T/R
18P 0805 N	CAP. CERAMICO 18pF x 50V NPO +/-5% SMD
18P 0805 NPO SUN	TS18 18PF*50V CERAMICO SMD +/-5%
18SC	TRANSMISOR/RECEPTOR ULTRASONICO
1K 0805	SMD 1K OHM 1/8W +-5% 0805 T/R
1K 1206	SMD 1K OHM 1/8W +-5% 1206 T/R
1K2 0805	SMD 1K2 OHM 1/8W +-5% 0805 T/R
1K5 0805	SMD 1K5 OHM 1/8W +-5% 0805 T/R
1K5 1206	SMD 1K5 OHM 1/8W +-5% 1206 T/R
1K8 0805	SMD 1K8 OHM 1/8W +-5% 0805 T/R
1K8 1206	SMD 1K8 OHM 1/8W +-5% 1206 T/R
1M 0805	SMD 1M OHM 1/8W +-5% 0805 T/R
1M 1206	SMD 1M OHM 1/8W +-5% 1206 T/R
1M3 0805	SMD 1M3 OHM 1/8W +-5% 0805 T/R
1M5 0805	SMD 1M5 OHM 1/8W +-5% 0805 T/R
1M5 1206	SMD 1M5 OHM 1/8W +-5% 1206 T/R
1M8 0805	SMD 1M8 OHM 1/8W +-5% 0805 T/R
1N 0805 NPO	1 nF*50V CERAMICO SMD 0805
1N 0805 X7R K	1 nF*50V CERAMICO SMD X7R K
1N4004SMD	1A/400V - RECTIFICADOR SMD
1N4007-T/B LIK	1A/1000V - RECTIFICADOR TAPE/BOX
1N4148PX-T/B LF	0.2A/75V-SWITCHING TRR:4nseg.
1N4148-T/B DAIWA	0.2A/75V-SWITCHING TRR:4nseg.
1N4148X2 LF SEM	0.2A/75V-SWITCHINGX2 SMD SOT23 C.C.
1N5 0805	1.5nF *50V CERAMICO SMD 0805
1N5408 T/B WX	3A/1000V - RECTIFICADOR
1N5819RLG-T/R ON	DIODO SCHOTKY 1A 40V
1N5822	3A 40V Schottky Rectifier
1P2 0805 NPO	1P2*50V CERAMICO SMD 0805
1P2 1206 N	1P2*50V CERAMICO SMD 1206
1P5 0805 N SIN	1P5*50V CERAMICO SMD 0805
1P8 0805 N SAM	1P8*50V CERAMICO SMD +/-0.25PF 0805
1P8 0805 N SIN	1P8*50V CERAMICO SMD +/-0.25PF 0805
1UF 0805 SIN	CAP. CERAMICO 1uF x 25V 10%
2.2 0805	SMD 2.2 OHM 1/8W +-5% 0805 T/R
2.2PX50 LIK	CAP.CERAMICO 2.2pF*50V
2.2UH 0805	BOBINA 2.2nH SMD 0805
2.7PX50-S LIK	CAP.CERAMICO 2.7pF*50V p=2.54mm
200 1206	SMD 220 OHM 1/8W +-5% 1206 T/R
20PX50 NPO	CAP.CERAMICO 20pF*50V

22 0805	SMD 22 OHM 1/8W +-5% 1206 T/R
22 1206	SMD 22 OHM 1/8W +-5% 1206 T/R
220 0805	SMD 220 OHM 1/8W +-5% 0805 T/R
220 1206	SMD 220 OHM 1/8W +-5% 1206 T/R
220K 0805	SMD 220K OHM 1/8W +-5% 0805 T/R
220K 1206	SMD 220K OHM 1/8W +-5% 1206 T/R
220NH 0805 SIN	BOBINA 220nH SMD 0805
220P 0805 NPO	220 PF *50V CERAMICO SMD 0805
220P 1206N	220 PF *50V CERAMICO SMD 1206
220PX50	CAP.CERAMICO 220pF*50V
220UH 0704 JAN	BOBINA 220uH 2.6A SMD 1207 (7*7*3)
220UH 1205 JAN	BOBINA 220uH 1,2A 1205
22K 0805	SMD 22K OHM 1/8W +-5% 0805 T/R
22K 1206	SMD 22K OHM 1/8W +-5% 1206 T/R
22M 0805	SMD 22M Ohm +-5% 0805 T/R
22M 1206	SMD 22M OHM 1/8W +-5% 1206 T/R
22N 0805 X7R K	22nF*50V CERAMICO SMD 0805
22N 0805 Y5V	22nF*50V CERAMICO SMD Y5V
22N 1206	22nF*50V CERAMICO SMD 1206
22PX50 NPO LIK	CAP.CERAMICO 22pF*50V NPO
22PX50 T LIK	CAP.CERAMICO 22pF*50V
24N1 100KB	POTENTIOMETER 100K OHM B
24N1 250KB	POTENTIOMETER 250K OHM B
24N1 5KB	POTENTIOMETER 05K OHM B
24N2 100KB	POTENTIOMETER 100K OHM B M9
2510-02P	WF-02 HOUSING
2510-05P	WF-05 HOUSING
2510-07P	WF-07 HOUSING
2510-08P	WF-08 HOUSING
2510-10P	WF-10 HOUSING
2510-12P	WF-12 HOUSING
2510-3P	WF-03 HOUSING
2510-4P	WF-04 HOUSING
2510-6P	WF-06 HOUSING
2600-02TR	WM-02L CONECTOR MACHO 90°
2600-02TS	WM-02 CONECTOR MACHO RECTO
2600-03TR	WM-03L CONECTOR MACHO 90°
2600-03TS	WM-03 CONECTOR MACHO RECTO
2600-04TR	WM-04L CONECTOR MACHO 90°
2600-04TS	WM-04 CONECTOR MACHO RECTO
2600-05TS	WM-05 CONECTOR MACHO RECTO
2600-06TS	WM-06 CONECTOR MACHO RECTO
2600-08TS	WM-08 CONECTOR MACHO RECTO
2600-12TS	WM-12 CONECTOR MACHO RECTO
26LS31 TI DIP	QUAD EIA-422/23 DRIVERS
26LS32 TI DIP	QUAD EIA-422 RECEIVERS
27 0805	SMD 27 OHM 1/8W +-5% 0805 T/R
27 1206	SMD 27 OHM 1/8W +-5% 1206 T/R
270 0805	SMD 270 OHM 1/8W +-5% 0805 T/R
270 1206	SMD 270 OHM 1/8W +-5% 1206 T/R
270K 0805	SMD 270K OHM 1/8W +-5% 0805 T/R
270K 1206	SMD 270K OHM 1/8W +-5% 1206 T/R
27K 0805	SMD 27K OHM 1/8W +-5% 0805 T/R
27K 1206	SMD 27K OHM 1/8W +-5% 1206 T/R
27P 0805 NPO	27PF*50V CERAMICO SMD 0805
27P 1206	27PF*50V CERAMICO SMD 1206

27PX50 NT750 LIK	CAP.CERAMICO 27pF*50V
2K2 0805	SMD 2K2 OHM 1/8W +-5% 0805 T/R
2K2 1206	SMD 2K2 OHM 1/8W +-5% 1206 T/R
2K7 0805	SMD 2K7 OHM 1/8W +-5% 0805 T/R
2K7 1206	SMD 2K7 OHM 1/8W +-5% 1206 T/R
2M2 0805	SMD 2M2 OHM 1/8W +-5% 0805 T/R
2M2 1206	SMD 2M2 OHM 1/8W +-5% 1206 T/R
2M7 0805	SMD 2M7 OHM 1/8W +-5% 0805 T/R
2N2 0805	2.2 nF *50V CERAMICO SMD 0805
2N2 0805 NPO	2.2nF*50V CERAMICO SMD 0805 NPO +/-5%
2N2 1206	2.2 nF *50V CERAMICO SMD 1206
2N7002 NXP	MOSFET N 60V 2ohms 640mA
2P12PTB003	BOTON PARA P1 (NEGRO 5mm) LLAVE
2P2 0805 NPO SIN	2P2*50V CERAMICO SMD +/-0.25PF 0805
2P2 0805 NPO SUN	TS18 2P2*50V CERAMICO SMD +/-0.25PF
2P7 0805 N	2P7*50V CERAMICO SMD +/-0.25PF 0805
2P7 0805 NPO SUN	TS18 2P7*50V CERAMICO SMD +/-0.25PF
2SD882P-AZ NEC	NPN 40V/3A/10W TRANSISTORES POTENCIA
3.3 0805	SMD 3.3 OHM 1/8W +-5% 0805 T/R
3.3PX50 NPO	CAP.CERAMICO 3.3pF*50V
300 0805	SMD 300 OHM 1/8W +-5% 0805 T/R
300-031	BORNERAS TIPO "WIRE-WRAPPING" 3 PINES
300K 0805	SMD 300K OHM 1/8W +-5% 0805 T/R
300K 1206	SMD 300K OHM 1/8W +-5% 1206 T/R
32.768-20PPM-SPK	CRISTAL 32.768 KHZ 12.5PF 20PPM (3x8)
320240FRS-DBAHS1	LCD 320*240 STN CCFL TRANSF EXT. 6:00Hr
3296W1-102	PRESET CERMET 25 VUELTA VERTICAL 1K
3296W1-103 10K	PRESET CERMET 25 VUELTA VERTICAL 10K
3296W1-104	PRESET CERMET 25 VUELTA VERTICAL 100K
3296W1-203 LF	PRESET CERMET 25 VUELTA VERTICAL 20k
3296W1-501	PRESET CERMET 25 VUELTA 500 OHM
3296W-1-502	PRESET CERMET 25 VUELTA VERTICAL 5K
3296W1-502	PRESET CERMET 25 VUELTA VERTICAL 5K
3296W1-503 50K	PRESET CERMET 25 VUELTA 50K
33 0805	SMD 33 OHM 1/8W +-5% 0805 T/R
33 1206	SMD 33 OHM 1/8W +-5% 1206 T/R
330 0805	SMD 330 OHM 1/8W +-5% 0805 T/R
330 1206	SMD 330 OHM 1/8W +-5% 1206 T/R
330K 0805	SMD 330K OHM 1/8W +-5% 0805 T/R
330K 1206	SMD 330K OHM 1/8W +-5% 1206 T/R
330P 0805 NPO	330PF *50V CERAMICO SMD 0805
330PX50	CAP.CERAMICO 330pF*50V
3386C-1-102 1K	PRESET CERMET 1 VUELTA VERTICAL 1K
3386C-1-103 10K	PRESET CERMET 1 VUELTA VERTICAL 10K
3386C1-104 100K	PRESET CERMET 1 VUELTA VERTICAL 100K
3386C-1-201 200	PRESET CERMET 1 VUELTA VERTICAL 200
3386C-1-504 500K	PRESET CERMET 1 VUELTA VERTICAL 500K
3386C202 2K	PRESET CERMET 1 VUELTA VERTICAL 2K
3386C203	PRESET CERMET 1 VUELTA VERTICAL 20K
3386C501	PRESET CERMET 1 VUELTA VERTICAL 500
3386C502	PRESET CERMET 1 VUELTA VERTICAL 5K
3386P1-102	PRESET CERMET 1 VUELTA HORIZONTAL 1K
3386P1-502	PRESET CERMET 1 VUELTA HORIZONTAL 5K
3386P-1-503 LF	PRESET CERMET 1 VUELTA HORIZONTAL 50K
33K 0805	SMD 33K OHM 1/8W +-5% 0805 T/R
33K 1206	SMD 33K OHM 1/8W +-5% 1206 T/R

33N 0805 Y5V	CAP. CERAMICO 33nF x 50V Y5V +/-20% SMD
33P 0805 NPO SIN	33PF*50V CERAMICO SMD 0805
33PX50 LIK	CAP.CERAMICO 33pF*50V
33UH 1210 WURTH	BOBINA 33uH 4.2A 1210 (12*12*10)
39 0805	SMD 39 OHM 1/8W +-5% 0805 T/R
39 1206	SMD 39 OHM 1/8W +-5% 1206 T/R
390 0805	SMD 390 OHM 1/8W +-5% 0805 T/R
390 1206	SMD 390 OHM 1/8W +-5% 1206 T/R
3900-8PST	FLEXIBLE P.C.B. CON. X8 STRAIGHT TIN
390P 0805 NPO	390 PF *50V CERAMICO SMD 0805
390P 0805 X7R	390 PF *50V CERAMICO SMD X7R
390P 1206N	390 PF *50V CERAMICO SMD 1206
390PX50 Y5E	CAP.CERAMICO 390pF*50V
39K 0805	SMD 39K OHM 1/8W +-5% 0805 T/R
39K 1206	SMD 39K OHM 1/8W +-5% 1206 T/R
39NH 0805 SIN	BOBINA 39nH @250MHz HIGH Q +/- 5%
39P 0805 NPO	39PF*50V CERAMICO SMD 0805
3K3 0805	SMD 3K3 OHM 1/8W +-5% 0805 T/R
3K3 1206	SMD 3K3 OHM 1/8W +-5% 1206 T/R
3K6 0805	SMD 3K6 OHM 1/8W +-5% 0805 T/R
3K9 0805	SMD 3K9 OHM 1/8W +-5% 0805 T/R
3K9 1206	SMD 3K9 OHM 1/8W +-5% 1206 T/R
3M 0805 LIK	SMD 3M0 OHM 1/8W +-5% 0805 T/R
3M3 1206	SMD 3M3 OHM 1/8W +-5% 1206 T/R
3M9 0805	SMD 3M9 OHM 1/8W +-5% 0805 T/R
3P3 0805 NPO SIN	3P3*50V CERAMICO SMD 0805
3P9 0805 NPO	3P9*50V CERAMICO SMD 0805
4.7PX50 LIK	CAP.CERAMICO 4.7pF*50V
4043	CUADRUPLE LATCHES R/S NOR 3 ESTADOS
4053 SMD PHI	TRIPLE MULTIPLEXOR/DEMULT SMD (PHI)
4094 SMD PHI	REG.DESPLAZ.8-BIT SALIDA LATCH 3 ESTADOS
40R10W	RECEPTOR ULTRASONICO CERAMICO 10mm
40R12B	RECEPTOR ULTRASONICO CERAMICO 12mm
40T10W	TRANSMISOR ULTRASONICO CERAMICO 10mm
40T12B	TRANSMISOR ULTRASONICO CERAMICO 12mm
415-0055	FEMALE HEADER 2.0 THRU-HOLE 2x17
4585 TI	COMPARADOR DE MAGNITUD DE 4-BIT.
47 0805	SMD 47 OHM 1/8W +-5% 0805 T/R
470 0805	SMD 470 OHM 1/8W +-5% 0805 T/R
470 1206	SMD 470 OHM 1/8W +-5% 1206 T/R
470K 0805	SMD 470K OHM 1/8W +-5% 0805 T/R
470K 1206	SMD 470K OHM 1/8W +-5% 1206 T/R
470P 0805 N SIN	CAP. CERAMICO 470PF x 50V X7R SMD
470P 0805 X7R	470 PF *50V CERAMICO SMD X7R
470PX50 LIK	CAP.CERAMICO 470pF*50V
470PX50 T	CAP.CERAMCIO 470pF*50V
470PX500 LIK	CAP.CERAMICO 470pF*500V
47K 0805	SMD 47K OHM 1/8W +-5% 0805 T/R
47K 1206	SMD 47K OHM 1/8W +-5% 1206 T/R
47N 0805 X7R	47nF*50V CAPACITOR SMD 0805
47N 0805 Y5V SIN	47nF*50V CAPACITOR SMD 0805 Y5V
47N 1206	47nF*50V CAPACITOR SMD 1206
47P 0805 N	47PF*50V CERAMICO SMD 0805
47UH 1205 JAN	BOBINA 48uH 2.6A SMD 1207 (12*12*08)
47X16 SMD ST	47 uF * 16 V RADIAL SMD
4K7 0805	SMD 4K7 OHM 1/8W +-5% 0805 T/R

4K7 1206	SMD 4K7 OHM 1/8W +-5% 1206 T/R
4M7 0805	SMD 4M7 OHM 1/8W +-5% 0805 T/R
4M7 1206	SMD 4M7 OHM 1/8W +-5% 1206 T/R
4N25 LIT	1 LED/1 TRANSISTOR - 2500 V AISLACION
4N26 FSC	1 LED/1 TRANSISTOR - 1500 V AISLACION
4N28 FSC	LED/TRANSISTOR - 500 V AISLACION
4N35M FSC	OPTOACOPLADOR - 3500 V AISLACION
4N35SM VAR FSC	OPTOCOUPLER TRANS-OUT SMD
4N7 0805 SINC	4.7 nF *50V CAP. SMD 0805
4P7 0805 N	4P7*50V CERAMICO SMD 0805
5.6 0805	SMD 5.6 OHM 1/8W +-5% 0805 T/R
5.6PX50 5%	CAP.CERAMICO 5.6pF*50V
510K 0805	SMD 510K OHM 1/8W +-5% 0805 T/R
510K 1206	SMD 510K OHM 1/8W +-5% 1206 T/R
516G G/W	LED DISPLAY GREEN C.A. 0.52in
5254-6P4C	JACK SIDE ENTRY MODULAR PCB 6P4C
5254-6P6C	JACK SIDE ENTRY MODULAR PCB 6P6C
5254-8P8C	JACK SIDE ENTRY MODULAR PCB 8P8C
5354-6P4C	JACK TOP ENTRY MODULAR PCB 6P4C
56 0805	SMD 56 OHM 1/8W +-5% 1206 T/R
560 0805	SMD 560 OHM 1/8W +-5% 0805 T/R
560 1206	SMD 560 OHM 1/8W +-5% 1206 T/R
560K 0805	SMD 560K OHM 1/8W +-5% 0805 T/R
560K 1206	SMD 560K OHM 1/8W +-5% 1206 T/R
560P 0805 NPO J	560 PF *50V CERAMICO SMD 0805
560PX50	CAP.CERAMICO 560pF*50V
56K 0805	SMD 56K OHM 1/8W +-5% 0805 T/R
56K 1206	SMD 56K OHM 1/8W +-5% 1206 T/R
56N 0805	56nF*50V CAPACITOR SMD 0805
56NH 0504	BOBINA SPRING 56nH SMD 0504 5%
56NH 0805 SIN	BOBINA 56nH SMD 0805
57111D-11	DOT MATRIX,ROJO,ALTA/LUM, A.C 1.2"
5764-50U	SIDE ENTRY MODULAR JACK 6P4C FOR PC BOAR
5K6 0805	SMD 5K6 OHM 1/8W +-5% 0805 T/R
5K6 1206	SMD 5K6 OHM 1/8W +-5% 1206 T/R
5P6 0805 NPO	5P6*50V CERAMICO SMD 0805
6.2 1206	SMD 6.2 OHM 1/8W +-5% 1206 T/R
6.8 0805	SMD 6.8 OHM 1/8W +-5% 0805 T/R
6.8PX50 NPO	CAP.CERAMICO 6.8pF*50V NPO
620 0805	SMD 620 OHM 1/8W +-5% 0805 T/R
620 1206	SMD 620 OHM 1/8W +-5% 1206 T/R
6234-L6P4C	JACK SIDE ENTRY MODULAR PCB 6P4C
6234-M6P4C	JACK SIDE ENTRY MODULAR PCB 6P4C
633-72-30-GB00 T	FEMALE HEADER 1.27*1.27, 3.4mm
633-92-25-GB00 T	FEMALE HEADER 1.27*1.27, 3.4mm 2x25
635-92-25-GB00 S	FEMALE HEADER 1.27*1.27, 3.4mm, SMT 2x25
635-92-30-GB00LF	FEMALE HEADER 1.27*1.27, 3.4mm, SMT 2x30
636-92-05-GB00 T	FEMALE HEADER 1.27*1.27, 4.4mm, 2x05
636-92-06-GB00 T	FEMALE HEADER 1.27*1.27, 4.4mm,2x06
680 0805	SMD 680 OHM 1/8W +-5% 0805 T/R
680 1206	SMD 680 OHM 1/8W +-5% 1206 T/R
680K 0805	SMD 680K OHM 1/8W +-5% 0805 T/R
680K 1206	SMD 680K OHM 1/8W +-5% 1206 T/R
680P 0805 SAM	680 PF *50V CERAMICO SMD 0805
68K 0805	SMD 68K OHM 1/8W +-5% 0805 T/R
68K 1206	SMD 68K OHM 1/8W +-5% 1206 T/R

68NH 0805 SIN	BOBINA 68nH @250MHz HIGH Q +/- 5%
68P 0805 N	68PF*16V CERAMICO SMD 0805
68PX50 LIK	CAP.CERAMICO 68pF*50V
6K2 0805	SMD 6K2 OHM 1/8W +-5% 0805 T/R
6K8 0805	SMD 6K8 OHM 1/8W +-5% 0805 T/R
6K8 1206	SMD 6K8 OHM 1/8W +-5% 1206 T/R
6M8 0805	SMD 6M8 OHM 1/8W +-5% 0805 T/R
6M8 1206	SMD 6M8 OHM 1/8W +-5% 1206 T/R
6P8 0805 NPO	6P8*50V CERAMICO SMD 0805
7135	(7135)CONV.A/D 4 1/2 DIG BCD
74HC139N PHI	DOBLE DECODIFICADOR 2 A 4
74HC14N PHI	SEXTUPLE NEGADOR SCHMITT TRIGGER
74HC164N PHI	SHIFT REGISTER 8 BIT E/SERIE S/PARALELO
74HCT137D	DECODIFICADOR 3 A 8 (ADDRESS LATCHEDAS)
74HCT245M ST	OCTAL BUS TRANSCEIVERS 3-ESTADOS
74LS00	CUADRUPLE NAND - 2 ENTRADAS
74LS08	CuadrUPLE 2-Input Y Puertas
74LS193	Contador binario sincrono 4-Bit con el reloj dual
74LS241	OCTAL 3-STATE BUS BUFFERS
74LS244	OCTAL DRIVER NO INVERSOR 3 ESTADOS
74LS73	DUAL JK NEGATIVE EDGE-TRIGGERED FLIP-FLOP
74LS74	Dual Posit.Edge-Triggered D Flip-Flops with preset
74LS86	Cuadruple 2-Input Exclusive-OR Gate
74LS90	Década y contadores binarios
74LVX3245WM SOIC	8BIT DUAL SUPPLY TRANSLATING TRANSCEIVER
750K 0805	SMD 750K OHM 1/8W +-5% 0805 T/R
750K 1206	SMD 750K OHM 1/8W +-5% 1206 T/R
7805CV ST (S/P)	REGULADOR +05V 1A
7808 ST TO220	REGULADOR +08V 1A
7815 TO220 ST	REGULADOR +15V 1A
7824 TO220 KEC	REGULADOR +24V 1A
7905 TO220 ST	REGULADOR -05V 1A
7912 TO220 NS	REGULADOR -12V 1A
7915 TO220 FSC	REGULADOR -15V 1A
8.2 0805	SMD 8.2 OHM 1/8W +-5% 0805 T/R
8.2 1206	SMD 8.2 OHM 1/8W +-5% 1206 T/R
8.2PX50 NPO	CAP.CERAMICO 8.2pF*50V NPO
82 0805	SMD 82 OHM 1/8W +-5% 0805 T/R
82 1206	SMD 82 OHM 1/8W +-5% 1206 T/R
820 0805	SMD 820 OHM 1/8W +-5% 0805 T/R
820 1206	SMD 820 OHM 1/8W +-5% 1206 T/R
820K 0805	SMD 820K OHM 1/8W +-5% 0805 T/R
820K 1206	SMD 820K OHM 1/8W +-5% 1206 T/R
82K 0805	SMD 82K OHM 1/8W +-5% 0805 T/R
82K 1206	SMD 82K OHM 1/8W +-5% 1206 T/R
82PX50	CAP.CERAMICO 82pF*50V
8K2 0805	SMD 8K2 OHM 1/8W +-5% 0805 T/R
8K2 1206	SMD 8K2 OHM 1/8W +-5% 1206 T/R
8P2 0805 NPO SUN	TS18 8P2*50V CERAMICO SMD +/-0.25pF
91-21SURC-S530A3	LED SMD ROJO 485mcd
91-21SYGC-S530E3	LED SMD AMARILLO VERDE 330mcd
91-21UBC-C430	LED SMD AZUL 203mcd
A1104	SWITCH DE EFECTO HALL (=UGN3120 )
A1302EUA-T	DISPOSITIVO DE EFECTO HALL 1.3 mV/G
A23S ALKALINE GP	BATERIA ALKALINA 12V
A27 ALKALINE GP	BATERIA ALKALINA 12V



A27 ALKALINE SP	BATERIA ALKALINA 12V
A61219029	INDUCTOR 100nH
AA2/F SNAP	PORTA BATERIA 3V
AA-4(S) NEGRO	PORTA BATERIA AA X 4 (UM3 X 4) NEGRO SIN CABLE
AB0003 V2 (BLUE)	RFID KEY TIPO LLAVERO
AD623ANZ LF	Single Supply Instrumentation Amplifier
AD633AN DIP8 AD	ANALOG MULTIPLIER
ADS7846E TI	4-WIRE ENHANCED TOUCH SCREEN CONTROLLER
ALICATE C/DIAG 5/125	Alicate corte diagonal 5" 125mm
ALICATE C/LAT 5/125	alicate corte lateral 5" 125mm
AM29F400BB	FLASH MEMORY
ANT. PROTECCION	Anteojos de protección
ANTENA TV T/A 4T BA	Antena p/tv t/avispa 4 tramos c/base c/aro
AP8921A DIP16	VOZ OTP PLAY 21s@6KHz
AP8942A DIP20	GRABADOR DE VOZ OTP 42 SEG
APR9600 DIP28	VOZ REC/PLAY 60s@4.2KHz
AR0.75X3.0X2.5TN	BOBINA DE RF 2-1/2 VUELTAS 3mm X 0.75mm
ARANDELA FIC. F	Arandela para ficha f
ARANDELA L	Arandela 13mm de largo, diametro 5mm
AT-12M-HC49US LF	CRISTAL 12.000000 MHZ (HC49S) 20pf
AT-65V2/SMA/5M	ANTENA GPS CON CABLE de 5Metro
AT89C51RD2-SLSUM	MICRO CTRL 64KF 2048R IC 8051 LEAD FREE
ATMEGA128L-8AU	MICRO CTRL AVR 128KF 4KR 4KE 48IO 8MHZ
ATMEGA162-16PI	MCR CTRL AVR 16KF 1KR 512E 35I/O 16MHZ
ATMEGA88PA-PU	MICRO CTRL 8KF 1KR 512E 23IO 20MHZ AVR
ATTINY12-8PU LF	MICROCTRL AVR 1KF 64E 6I/O 8MHZ LEADFREE
ATTINY2313-20PU	MICRO CTRL AVR 2Kx8 FLASH
ATTINY2313-20SU	MICRO CTRL AVR 2KX8 FLASH LEAD FREE
ATTINY26-16PI	MCR CTRL AVR 2KF 128R 128E 16IO IND16MHZ
B3F-1000	MECHANICAL KEYSWITCH 6*6*4.3mm 100g
B3F-1005	MECHANICAL KEYSWITCH 6*6*4.3mm 260g
B3F-1025	MECHANICAL KEYSWITCH 6*6*5.0mm 260g
B772Y	PNP 40V/3A/10W TRANSISTORES POTENCIA
BAT54CW T/R	DIODO SCHOTKY 200mA 30V CC
BB-02	bornera para baffle
BC20	CAJA PLASTICO PARA BUZZER 20MM DIA.
BC-2002	PORTA BATERIA PARA CR2032 SMD
BC27 KA	CAJA PLASTICA P/BUZZER 27mm NEGRO
BC327-40 BUL PHI	PNP 45V/0.8A/0.60W - DRIVER AF
BC327-40 ENC PHI	PNP 45V/0.8A/0.60W - DRIVER AF
BC337-40 ST ENC	NPN 45V/0.8A/0.60W - DRIVER AF ENCINTADO
BC546B PHI	NPN 65V/0.1A/0.50W PRE-DRIVER AF
BC547B AMMO PHI	NPN 45V/0.1A/0.50W PRE-DRIVER AF
BC557B BUL PHI	PNP 45V/0.1A/0.50W PRE-DRIVER AF
BC640B	PNP medium power transistors
BC807-40 PHI	SMD PNP 45V/0.5A PRE-DRIVER AF
BC817-25 PHI	SMD NPN 45V/0.5A PRE-DRIVER AF
BC817-40 PHI	SMD NPN 45V/0.5A PRE-DRIVER AF
BC846B PHI	SMD NPN 65V/0.1A PRE-DRIVER AF
BC847B PHI	SMD NPN 45V/0.1A PRE-DRIVER AF
BC856B PHI	SMD PNP 65V/0.1A PRE-DRIVER AF
BC857B PHI	PNP 30V/0.1A/0.5W PRE-DRIVER SMD
BD135	TRANSISTOR 1A 45V 8W NPN
BD140 ST	PNP 80V/1A/8W TRANSISTOR DE POTENCIA
BFR92A T/R PHI	NPN 5 GHz WIDEBAND TRANSISTOR
BFW92A	NPN 5 GHz WIDEBAND TRANSISTOR

BH017	ANTENA GSM 3.5dB 60W
BH-331A	PORTA BATERIA AAX3 C/CABLE
BH-341A	PORTA BATERIA AAX4 C/CABLE
BK-T220	DISIPADOR
BNC/MCX RA	MCX/BNC ADAPTOR CABLE
BOTONERA 4T 2F	Botonera 4t 2f
BOTONERA 4T RECTA	Botonera 4T recta
BOTONERA 5T PHIL DER	Botonera 5t philco/philips der.
BOTONERA 5T PHIL IZQ	Botonera 5t philco/philips (invertida) izq
BOTONERA 5T RECTA	Botonera 5T recta
BOTONERA 6T 2F	Botonera 6t 2f
BOTONERA 8T	Botonera 8t
BOTONERA BT-18	Botonera bt-18
BOTONERA BT-19 TV PH	Botonera bt-19 p/tv philco
BOTONERA DOBLE	Botonera doble
BOTONERA PHILCO	Botonera Philco
BOTONERA PHILCO 14	Botonera Philco 14"
BOTONERA PHILCO 20EF	Botonera philco 20" eje fino
BOTONERA PHILCO 5T F	Botonera philco 5 teclas finas
BOTONERA PHILCO REF	Botonera philco con refuerzo
BOTONERA SANYO	Botonera Sanyo
BOTONERA TV 21/29	Botonera para plaqueta de TV 21" y 29"
BS-7	PORTA BATERIA CR2016/CR2025/CR2032
BS-IR 15CM CABLE	PORTA BATERIA PARA BAT. DE 9V 15cm
BT101-560GR0	CONECTOR 60 PINS PARA SIM300/340
BT137X600F	TRIAC 8A/600V CON AISLADO
BTA08-600CRG ST	TRIAC 8A/600V CON AISLADO
BTA12 600CRG ST	TRIAC 12A/600V CON AISLADO
BTA41600B	TRIAC 41A 600V
C011	CIERRE ELECTRIC/PUERTA PRINCIPAL DE AUTO
CA45-106M016AT	CAP. TANTALIO 10uF x 16V +/-10% SMD
CAB BIP N	Cable Bipolar Perfil Cord Minihelicoidal Ne. xmet
CAB COAXIL RG-174	Cable Coaxil RG-174 U 50 OHM xmetro
CAB CONEX. 0.25MM AM	Cable conexión estañado 0.25mm Amarillo (x metro)
CAB CONEX. 0.25MM AZ	Cable conexión estañado 0.25mm Azul (x metro)
CAB CONEX. 0.25MM NA	Cable conexión estañado 0.25mm Naranja (x metro)
CAB CONEX. 0.25MM NE	Cable conexión estañado 0.25mm Negro (x metro)
CAB CONEX. 0.25MM RO	Cable conexión estañado 0.25mm Rojo (x metro)
CAB CONEX. 0.25MM VE	Cable conexión estañado 0.25mm Verde (x metro)
CAB CONEX.0.25MM LI	Cable conexión estañado 0.25mm Lila(xmetro)
CAB CONEX.0.25MM ROS	Cable conexión estañado 0.25mm Rosa(xmetro)
CAB FLAT 10C	cable plano p/IDC 10c x cm
CAB FLAT 14C	cable plano p/IDC 14c x cm
CAB FLAT 16C	cable plano p/IDC 16c x cm
CAB FLAT 20C	cable plano p/IDC 20c x cm
CAB FLAT 26C	cable plano p/IDC 26c x cm
CAB FLAT 40C	cable plano p/IDC 40c x cm
CAB MIC.3.5MM M	Cable Mic.3.5mm Mono Trenzado
CAB MIC.6MM M	Cable Mic.6mm Mono Caina negr. xmetro
CAB P/TESTER NEGRO	Cable para tester negro x metro
CAB P/TESTER ROJO	Cable para tester rojo x metro
CAB PL 13C/240/1.2	Cable plano 13c/240mm/1.2
CAB PL 13C/430/1.2	Cable plano 13c/430mm/1.2
CAB PL 15C/490/1.2	Cable plano 15c/490mm/1.2
CAB PL 15C/90/1.0	Cable plano 15c/90mm/1.0
CAB PL 16C/100/1.0	Cable plano 16c/100mm/1.0

CAB PL 16C/110/1.0	Cable plano 16c/110mm/1.0
CAB PL 16C/150/1.0	Cable plano 16c/150mm/1.0
CAB PL 16C/70/1.0	Cable plano 16c/70mm/1.0
CAB PL 20C/220/1.2	Cable plano 20c/220mm/1.2
CAB PL 5C/210/1.25	Cable plano 5c/210mm/1.25
CAB PL 5C/240/1.25	Cable plano 5c/240mm/1.25
CAB PL 6C/160/1.2	Cable plano 6c/160mm/1.2
CAB PL 6C/250/1.25	Cable plano 6c/250mm/1.25
CAB PL 7C/310/1.2	Cable plano 7c/310mm/1.2
CAB PL 8C/260/1.2	Cable plano 8c/260mm/1.2
CAB TELEF. CHATO	Cable telefónico chato x metro
CAB TELEF. ENVAINADO	Cable telefonico envainado x metro
CAB TELEF. EXT/SUB 8	Cable telefono uso est o sub 8pares Diam 0.5xmetro
CAB TELEF. EXTERIOR	Cable telefónico exterior (x metro)
CABLE 2RCAX2RCA 1.9	Cable armado 2 rca x 2 rca 1.9 mts
CABLE 2RCAX2RCA 7	Cable armado 2 rca x 2 rca 7 mts
CABLE 3RCAX3RCA1.8	Cable armado 3 rca x 3 rca 1.8mts
CABLE 4MD-4MD1.8 VHS	Cable armado 4 mini din a 4 mini din 1.8 mts. s.vh
CABLE B 2RCAX2RCA 2	Cable armado en blister 2 rca x 2 rca 2 mts
CABLE B 2RCAX2RCA 7	Cable armado en blister 2 rca x 2 rca 7 mts
CABLE BAFLE 2X0.25 B	Cable bafle 2x0.22mm Bipolar (por metro)
CABLE BAFLE 2X1 B	Cable bafle 2x1.00mm bipolar (por metro)
CABLE F.O TOSLINK1.5	Cable armado fibra opt. toslink/toslink de lujo 1.
CABLE FUENTE C/PLUG	Cable p/fuente c/plug 2.5x0.7x9.5mm
CABLE H P/G-M P/G1.5	Cable armado hembra p/g a macho p/g 1.5mts
CABLE M P/F-M P/F PR	Cable armado macho p/f a macho p/f a presion 1.5mt
CABLE M P/G-M P/F1.5	Cable armado macho p/g a macho p/f 1.5mts
CABLE MIC. 6MM MV N	Cable de micrófono 6mm mono vaina negra (x metro)
CABLE PLUG3.5 ST-ST1	Cable armado plug 3.5 st a 3.5 st 1mts
CABLE PLUG3.5STX2RCA	Cable armado plug 3.5 st x 2 rca
CABLE PR. TEL 2.3 C	Cable prolongacion tel. 2.3 mt beige
CABLE PR. TEL 2.3 N	Cable prolongacion tel. 2.3 mt negro
CABLE TEL ESP 2.3 B	Cable tel. espiral 2.3 mt blanco
CABLE TEL ESP 2.3 C	Cable tel. espiral 2.3 mt beige
CABLE TEL ESP 2.3 N	Cable tel. espiral 2.3 mt negro
CABLE TEL ESP 5.3 B	Cable tel. espiral 5.3 mt blanco
CABLE TEL ESP 5.3 C	Cable tel. espiral 5.3 mt beige
CABLE TEL ESP 5.3 N	Cable tel. espiral 5.3 mt negro
CABLE USB MA-MB	Cable usb macho tipo a a macho usb tipo b
CABLE USB M-H 1.5	Cable armado usb a macho / a hembra 1.5mts
CALEF.SOLD.40W R	Calefactor para soldador 40w Recto
CALEF.SOLD.40W V	Calefactor para soldador 40w forma V
CAPUCHON PLUG RJ-45A	Capuchon para plug rj-45 amarillo
CAPUCHON PLUG RJ-45B	Capuchon para plug rj-45 blanco
CAPUCHON PLUG RJ-45G	Capuchon para plug rj-45 gris
CAPUCHON PLUG RJ-45N	Capuchon para plug rj-45 negro
CAPUCHON PLUG RJ-45R	Capuchon para plug rj-45 rojo
CAPUCHON PLUG RJ-45V	Capuchon para plug rj-45 verde
CB7420V100(2X10)	CONECTOR 2*10mm 2mm pitch
CB7426V100	(415-0044-10) CONECTOR 2*13 2mm pitch
CB7440V100	CONECTOR 2*20mm 2mm pitch
CBS-12K	CIRCUITO IMPRESO BOARD SUPPORT 12mm
CBS-6K	CIRCUITO IMPRESO BOARD SUPPORT
CCFH0805C36NG	SEMICONDUCTOR
CC-SAK-OSM-50	RF CABLE MM9329(F)+SMA(F) Length 5CM
CD22M3493E	LLAVE PTO DE CRUCE MATRIX ANALOG

CD40106BCMX FSC	SEXTUPLE SCHMITT TRIGGER SMD
CD4011BE TI	CUADRUPLE NAND DE 2 ENTRADAS
CD4013BE TI	DOBLE FLIP-FLOP "D"
CD4017BE TI	CONTADOR DIVISOR DECIMAL C/10 SALIDAS
CD4020BE TI	CONTADOR BINARIO DE 14 BITS
CD4021BE LF TI	REGISTRO DESPLAZAMIENTO 8 BITS
CD4028 SMD TI	DECODIFICADOR DE BCD A DECIMAL
CD4028BE TI	DECODIFICADOR DE BCD A DECIMAL
CD4046BCM MOT	PHASE-LOCKED-LOOP(PLL) BAJAPOTENCIA SMD
CD4046BE	PLL
CD4047BE TI	MULTIVIBRADOR MONOSTABLE/ASTABLE
CD4051 SMD TI	MULTIPLEXOR/DEMULT.8-CANALES.
CD4053BE TI	TRIPLE MULTIPLEXOR/DEMULT.2-CANALES.
CD4069UBE TI	CUADRUPLE INVERSOR.
CD4071BCN	CUADRUPLE COMPUERTA OR 2 ENTRADAS.
CD4081BPW TI	CUADRUPLE AND 2 ENTRADAS
CD4094 ST	REGISTRO DESPLAZAMIENTO 8-BIT 3STATE
CD4099BE TI	LATCH DIRECCIONABLE 8-BITS
CD4511BE TI	DECOD.DRIVERS LATCH BCD A 7 SEG.(LED)
CD4521BE LF TI	CMOS 24-Stage Frequency Divider
CD74HC138N	DECODIFICADOR/DEMULTIPLEXOR 3 A 8
CE05	CLOSE END WIRE CONNECTOR AWG 12-10
CEC-1R0M	BOBINA 1.0uH. TIPO RESISTENCIA T/BOX
CEC-1R5 LF SMD	BOBINA 1.5uH. SMD 0805 T/R
CEC-1R5 SMD	BOBINA 1.5uH. SMD 0805 T/R
CECNP-100K	BOBINA 10uH, TIPO RESISTENCIA T/BOX
CECNP-101K	BOBINA 100uH, TIPO RESISTENCIA T/BOX
CECNP-1R5M	BOBINA 1.5uH. TIPO RESISTENCIA T/BOX
CECNP-2R2M LF	BOBINA 2.2uH, TIPO RESISTENCIA T/BOX
CESSNP-1R5K LF	BOBINA 1.5uH. TIPO RESISTENCIA T/BOX
CIS-02	ANTENA GPS+GSM CON CABLE de 5Metro
CM8880PI	RECEPTOR/GENERADOR DTMF
CN1905 B	RCA PLUG TELEF.(MACHO) NEGRO
CN1905 R	RCA PLUG TELEF.(MACHO) ROJO
CN1905 W	RCA PLUG TELEF. (MACHO) BLANCO
CN2208	=JEF706+CABLE 5*20
COCODRILLO BAT 20A N	Cocodrilo para bateria 20 a negro
COCODRILLO BAT 20A R	Cocodrilo para bateria 20 a rojo
COCODRILLO CHICO A	Cocodrilo chico amarillo
COCODRILLO CHICO N	Cocodrilo chico negro
COCODRILLO MED. N	Cocodrilo mediano negro
COCODRILLO MED. R	Cocodrilo mediano rojo
COMP	1M 0603
CON. USB-H P/C DI180	Conector usb tipo a hembra p/c.i. dip 180º
CON. USB-H P/C DI90	Conector usb tipo a hembra p/c.i. dip 90º
CON. USB-PLUG CABLE	Conector usb tipo a plug para cable
CONECTOR DE TORNILLO	conector de tornillo p/tabl/chasis 12 polos
CP01108010	CP011 HOUSING 2*04
CP01120010	CP011 HOUSING 2*10
CP01408110	WAFER 2*4 90º
CP0202P0	HOUSING MACHO A CABLE 2 PINES 3.68mm
CP0202S0	HOUSING HEMBRA A CABLE 2 PINES 3.68mm
CP0203P0	HOUSING MACHO A CABLE 3 PINES 3.68mm
CP0203S0	HOUSING HEMBRA A CABLE 3 PINES 3.68mm
CP02T031BEP	CP02T031BEP PIN MACHO PARA CP02P
CP02T031BES	CP02T031BES PIN HEMBRA PARA CP02S

CR2032	BATERIA DE LITIO
CRIMPEADORA P/MORDAZ	Crimpeadora p/mordazas intercambiables CP-372
CSALF4M LF MUR	RESONADOR 4 MHZ
CW8A-102K LF	BOBINA 1mH
CW-T	PIN PARA WF SERIE HOUSING
D15P	MACHO 15 POSICIONES P/IMPRESO (M)
D15P 451-15	MACHO 15 POSICIONES P/SOLDER (M)
D15S-90 361-15	HEMBRA 15 POSICIONES P/IMPRESO (F)
D25P-90	T/RS 232 MACHO 25 POSICIONES 90°IMPRESO
D25S	T/RS 232 HEMBRA 25 POSICIONES P/SOLDAR
D25S-90	T/RS 232 HEMBRA 25 POSICIONES P/IMPRESO
D882Y CJ	NPN 40V/3A/10W TRANSISTORES POTENCIA
D9P	T/RS 232 MACHO 9 POSICIONES P/SOLDAR
D9P-90	T/RS 232 MACHO 9 POSICIONES P/IMPRESO
D9S	T/RS 232 HEMBRA 9 POSICIONES P/SOLDAR
D9S-90	T/RS 232 HEMBRA 9 POSICIONES P/IMPRESO
DAC0808LCN NS	IC CONVERTER D/A 8BIT
DB3 WX	DIAC - 32V
DC-208	JACK DE ALIMENTACION DC PARA PCB
DCG15 670-15	TAPA PLASTICA PARA D15
DCG25 (W/SCREW)	TAPA PLASTICA PARA D25 C/ TORNILLO GRIS
DCG9	TAPA PLASTICA PARA D9
DECT.ALTO VOLT.ZR902	detector de alto voltaje
DESOLDADOR CHICO	Desoldador chico metalico
DESOLDADOR CHICO P	Desoldador chico plastico
DESOLDADOR GIGANTE	Desoldador gigante
DEST. 3X1	Destornillador 3x1
DEST. AISLADO LARGO	Destornillador aislado largo
DEST. CERAMICO	Destornillador ceramico
DEST/ BUSCAPOLO	Destornillador buscapolo digital
DEST/BUSCAPOLO A	Destornillador buscapolo
DETEC.VOLT.RPK303	Lápiz detector/voltaje y continuidad
DF09P	D-SUB. MACHO 9 POSICIONES FLAT CABLE
DF09S 340-09	D-SUB. HEMBRA 9 POSICIONES FLAT CABLE
DF15S	D-SUB. HEMBRA 15 POSICIONES FLAT CABLE
DISKET	disket 3.5"
DIV.ANT.2	Divisor 2 vias 5-1000 mhz baja perdida TV
DIV.ANT.3	Divisor 3 vias 5-1000 mhz baja perdida TV
DL5818 T/R MCC	DIODO SCHOTKY 1A 30V BARRIER RECT.
DM-03S-0P	MICRO SWITCH S/ACTUADOR
DM-03S-1P	MICRO SWITCH C/ACTUADOR = SH01P
DM-03S-2P	MICRO SWITCH C/ACTUADOR
DS1488AN DIP NS	EXCITAD. DE LINEA CUADRUPLE
DS1489N DIP NS	RECEPTOR DE LINEA CUADRUPLE
DS14C232CMX NS	DUAL RS-232 TRANSMISOR/RECEPTOR
DSP. 2125D1	Disipador Perfil U:12x28x12 1.5mm esp, A40mm,R13°
DSP. 2225D	Disipador Perfil U:12x28x12x40x1.5mm ORO
DSP. 2226N1	Disipador Aguj. descen, Perfil U:12x28x12x27mm Neg
DSP. 2226N2	Disipador Aguj. centra, Perfil U:12x28x12x27mm Neg
DSP. 2725D	Disipador Perfil U:29x29x29x40mm oro
DSP. 3825/1	Disipador TO-5,DE12.5m,DI8.10mm,R10mm76°C/W 7.5mm
DSP. 3825/2	Disipador TO-5,DE12.5m,DI8.10mm,R10mm76°C/W 15mm
DSP. 3INTEL	Disipador U10x14x10x25mm Negro
DSP. 5225/2	Disipador Perfil U:29x29x29x25mm Metal
DSP. 5225/3	Disipador Perfil U:30x15x26x29mm Metal
DSP. 5225/4	Disipador Perfil U: 34x24x32x32mm Metal

DSP. 5235D	disipador Perfil U:20x20x20x2mm oro
DSP. 5235FD	Disipador Perfil U:20x20x20x1.5mm ORO
DSP. 5245D	Disipador Perfil U:20x25x20x1.5mmx25mm ORO
DSP. 5455AC	Disipador Perfil U:25x15x25 1.5mm esp,A20mm,R25°C/
DSP. 5455DC	Disipador Perfil U:25x15x25x20x1.5mm aguj. desent.
DSP. 6345/1	Disipador tipo CLIP,R8° C/W p15mm x1cm
DSP. 6345/2	Disipador Tip Largo 2cm
DSP. 6345/3	Disipador tipo CLIP,R8° C/W p15mm x2.5cm
DSP. 7125/1	Disipador ZD-35x25mm 1 aguj.sodado
DSP. 7125/5	Disipador ZD-35x32mm 1 aguj.sodado
DSP. 9325D	Disipador Perfil U:10x14x10,1.5mm esp, Altura:20mm
DSP. ALETA 125	Disipador Aleta tip vertical,13x23x2x16mm,25° C/W
DSP. ALETA 1825	Disipador Aleta tip horizontal,25x25x2x16mm,25°C/W
DSP. ZD-21	B136.50mm,A33mm,E8mm,R1.5°C/W75mm,S2141mm
DSP. ZD-21 10CM	B136.50mm,A33mm,E8mm,R1.5°C/W75mm,S2141mm
DSP. ZD-22	B40mm,A59mm,R3.3°C/W75mm,S432
DSP. ZD-22 10CM	B40mm,A59mm,R3.3°C/W75mm,S432
DSP. ZD-25	Disipador Araña TO-3 ALT.52mm
DSP. ZD-26	Cobre. 2002cu. MC1170
DSP. ZD-27	B104mm,A37mm,E6.2mm,R1.8°C/W75mm,S1259mm
DSP. ZD-27 10CM	B104mm,A37mm,E6.2mm,R1.8°C/W75mm,S1259mm
DSP. ZD-28	B104mm,A25.4mm,E4.75mm,R2.9°C/W75mm,S5640mm
DSP. ZD-28 10CM	B104mm,A25.4mm,E4.75mm,R2.9°C/W75mm,S5640mm
DSP. ZD-29	B37mm, A15mm,E2, R10.8° C/Wp75mm,S156,P0.400
DSP. ZD-3	B50mm,A14mm,R5°C/W75mm,S252 mm
DSP. ZD-3 10CM	B50mm,A14mm,R5°C/W75mm,S252 mm
DSP. ZD-30	L85mm,57mm,E4,5mm,R2,4°C/W75mm,S917mm
DSP. ZD-30 10CM	L85mm,57mm,E4,5mm,R2,4°C/W75mm,S917mm
DSP. ZD-35 10CM	A12.7mm,R14°C/W75mm
DSP. ZD-36	B29mm, A15mm,E1,R8.80° C/Wp75mm,S112,P0.304
DSP. ZD-37	B44mm,A14mm,E2mm,R8°C/W75mm,S178
DSP. ZD-37 10CM	B44mm,A14mm,E2mm,R8°C/W75mm,S178
DSP. ZD-38	B31,6mm,A16mm,E4mm,R8.5° C/W75mm,S265,P0.715
DSP. ZD-38 10CM	B31,6mm,A16mm,E4mm,R8.5° C/W75mm,S265,P0.715
DSP. ZD-44	B50mm,A17mm,R3.3°C/W75m,S459,50
DSP. ZD-44 10CM	B50mm,A17mm,R3.3°C/W75m,S459,50
DSP. ZD-5	B70mm,A17mm,E32mm,R5.10°C/W75mm,S296mm
DSP. ZD-5 10CM	B70mm,A17mm,E32mm,R5.10°C/W75mm,S296mm
DSP. ZD-57	Disipador 25mm, 1RSC C/Pines negro
DSP. ZD-60	B120mm,Altura67mm,R1.5°C/W75mm,S1561,06mm
DSP. ZD-60 10CM	B120mm,Altura67mm,R1.5°C/W75mm,S1561,06mm
DSP. ZD-9	B57mm,A23mm,R3.80°C/W75mm,S343mm
DSP. ZD-9 10CM	B57mm,A23mm,R3.80°C/W75mm,S343mm
DT-126VP-3	BORNERAS TIPO "WIRE-WRAPPING" 3 PINES
EAH-102E99	LLAVE 2 POSICIONES
EAH-103E99	LLAVE 3 POSICIONES
EAH-104E99	LLAVE 4 POSICIONES
EAH-106E99	LLAVE 6 POSICIONES
EAH-108E99	LLAVE 8 POSICIONES
EAH-110E99	LLAVE 10 POSICIONES
EAH-112E99	LLAVE 12 POSICIONES
EC121101X2B-HA1	12mm INSULATED SHAFT ENCODER 24 PULSE
EC24TB1R5K	BOBINA 1.5uH, TIPO RESISTENCIA T/BOX
ECM-60D	MICROFONO -68dB +- 3dB
ECM-60D/P	MICROFONO -68dB +- 3dB
EECF5R5104	SUPERCAP .1 F

EK500A-02P	BORNERAS 2 PINES 45°
EK500A-03P	BORNERAS 3 PINES 45°
EKT100K100BTR	CAP. TANTALIO 10uF 10V +/-10% SMD
EL23G KOD	EMISOR INFRARROJO
EL470X50	470 uF * 50 V RADIAL
E-L4960 ST	REGULADOR POWER SWITCHING 2.5A +40V
ELCDS9P5-3	5mm LDR 3-11 KOHMS @10 LUX
ELK0.47X100V KR1	0.47uF * 100 V RADIAL
ELK1000X16 10X16	1000uF * 16 V RADIAL
ELK1000X16 8X16	1000uF * 16 V RADIAL
ELK1000X16 TA3.5	1000uF * 16 V RADIAL
ELK1000X250V BLI	1000uF * 250V blindado (35x58)
ELK1000X25V MF	1000uF * 25 V RADIAL
ELK1000X35V MG	CAP.RADIAL 1000uF*35V KR1-35V102MG
ELK1000X50V MH	1000uF * 50 V RADIAL
ELK100X16 MA	100 uF * 16 V RADIAL (MA)
ELK100X16V MB	100 uF * 16 V RADIAL (MB)
ELK100X16V TA2.5	100 uF * 16 V RADIAL
ELK100X25T	100 uF * 25 V RADIAL
ELK100X25V KR1	100 uF * 25 V RADIAL
ELK100X35 KR1	100 uF * 35 V RADIAL
ELK100X450V BLI	100 uF * 450V Blindado (22x41)
ELK100X50T TA5.0	100 uF * 50 V RADIAL
ELK10X25V KR1	10 uF * 25 V RADIAL
ELK10X50T TA2.5	10 uF * 50 V RADIAL
ELK10X50V KR1	10 uF * 50 V RADIAL
ELK150X400V BLI BAJO	150uF * 400v blindados (bajo 22x40)
ELK1X100 TA2.5	1 uF * 100 V RADIAL
ELK1X50V KR1	1 uF * 50 V RADIAL
ELK1X50VT TA2.5	1 uF * 50 V RADIAL
ELK2.2X50V KR1	2.2 uF * 50 V RADIAL
ELK2200X100V BLI	2200uF * 100V Blindado (30x35)
ELK2200X16	2200uF * 16 V RADIAL
ELK2200X25 H18	2200uF * 25 V RADIAL 105°C +/-20%
ELK2200X35V KR1	2200uF * 35 V RADIAL
ELK2200X50	2200uF * 50V RADIAL
ELK220X16V KR1	220 uF * 16 V RADIAL
ELK220X250V BLI	220 uF * 250v Blindado (25x25)
ELK220X25V KR1	220 uF * 25 V RADIAL
ELK220X35	220 uF * 35 V RADIAL
ELK220X400V BLI	220 uF * 400V Blindado (24x45)
ELK220X50V KR1	220 uF * 50 V RADIAL
ELK22X16V KR1	22 uF * 16 V RADIAL
ELK22X50V KR1	22 uF * 50 V RADIAL
ELK3300X50V	CAP. ELECTROLITICO 3300uF x 50V
ELK330X250V BLI	330 uF * 250V Blindado (30x49)
ELK330X400V BLI	330 uF * 400V Blindado (30*49)
ELK4.7X100	4.7 uF * 100 V RADIAL
ELK4.7X50 KR1	4.7 uF * 50 V RADIAL
ELK4700X16V	4700uF * 16 V RADIAL
ELK4700X25V	4700uF * 25 V RADIAL
ELK470X10VT 2.5	470 uF * 10 V RADIAL
ELK470X16T TA3.5	470 uF * 16 V RADIAL
ELK470X16V	470 uF * 16 V RADIAL
ELK470X250V BLI BAJO	470 uF * 250V Blindado Bajo (35x35)
ELK470X25V MD	470 uF * 25 V RADIAL

ELK470X35V KR1	470 uF * 35 V RADIAL
ELK470X63	470 uF * 63 V RADIAL
ELK47X250	CAP. ELECTROLITICO 47uF x 250V
ELK47X25V KR1	47 uF * 25 V RADIAL
ELK47X400 KR1	47 uF * 350 V RADIAL
ELK47X50VT TA2.5	47 uF * 50 V RADIAL
ELK47X63	47 uF * 63 V RADIAL
ELK618	ZOCALO ZIF 2*9
ELK660X450V BLI	660 uF * 450V Blindado
ELK6800X100V BLI	6800 uF x 100V Blindado (25x30)
EMR131A12	REED RELAY NA -12V-1A-1050 OHMS PLASTICO
EPG-106A (T.P)	LLAVE 6 POSICIONES TIPO PIANO
EPH-402	Antena GSM 4-Banda SMA M
EQUISBI	LIBRO XB
ERC10X16	10 uF * 16 V
ES100X16 SMD JB	CAP. ELECTROLITICO SMD 100uF x 16V
ES22X16 SMD JB	CAP. ELECTROLITICO SMD 22uF x 16V
ES47X16 SMD JB	CAP. ELECTROLITICO SMD 47uF x 16v
ESB02101002Z	CONECTOR USB 2.0 TIPO B HEMBRA 90DEGREE
ESDA6V1W5 ST	QUAD TRANSIL ARRAY FOR ESD PROTECTION
ESK1.0X50V	ELECTRO. MINI 1.0 uF*50V
ESK100X16T	ELECTRO. MINI 100uF*16V
ESK10X16	ELECTRO. MINI 10 uF*16V
ESK10X16T	ELECTRO. MINI 10 uF*16V
ESK10X25T	CAP. ELECTROLITICO MINI 10uF x 25V
ESK10X50V KR2	ELECTRO. MINI 10 uF*50V
ESK2.2X50	ELECTRO. MINI 2.2 uF*50V
ESK220X16VT KR2	ELECTRO. MINI 220uF*16V
ESK22X16T	ELECTRO. MINI 22 uF*16V
ESK22X16V KR2	ELECTRO. MINI 22 uF*16V
ESK3.3X50V KR2	ELECTRO. MINI 3.3 uF*50V
ESK4.7X50T	ELECTRO. MINI 4.7 uF*50V
ESK4.7X50V KR2	ELECTRO. MINI 4.7 uF*50V
ESK47X16T	ELECTRO. MINI 47 uF*16V
ESK47X25	ELECTRO. MINI 47 uF*25V
ESPONJA P/SOLD REDON	esponja p/sodador redondo
ESPONJA P/SOLD RET	esponja p/solsador rectangular
ESTACION 025-1018	Estacion de soldar 48w 450°c 220v
ESTAÑO 60/40 0.5X500	Estaño 60/40 0.5mm x 50mgrs
ESTAÑO 60/40 0.7X1/4	Estaño 60/40 0.7mm x 1/4kg
ESTAÑO 60/40 0.7X100	Estaño 60/40 0.7mm x 100grs
ESTAÑO 60/40 0.7X1KG	estaño 60/40 1mm x 1Kg
ESTAÑO 60/40 1X3 TUB	Estaño 60/40 1mm x 3mts en tubo
ET-318 EVB	PLACA DE EVALUACION ET-318 C/ MODULO
EXTRACTOR DE INTEG	extractor de integrados
EXTRAIBLE DG P3	Extraible digital p3
FC140180-2	CONECTOR HEMBRA .1" 1x40x180° p/PCB
FC140180-3	CONECTOR HEMBRA .1" 1x40x180° frac p/PCB
FC14090	CONECTOR HEMBRA .1" 1x40x90° p/PCB
FC14090-2	CONECTOR HEMBRA .1" 1x40x90° p/PCB
FC240180-3	CONECTOR HEMBRA .1" 2x40x180° p/PCB
FC24090-2	CONECTOR HEMBRA .1" 2x40x90° p/PCB
FDCC0802B-FLYGBW	LCD 8x2 LED B/L STN/+ TRNSF 6:00 38x16mm
FDCC1601B-FLYGBW	LCD 16x1 LED B/L STN/+ TRNSF 6:00 99x13m
FDCC1602G-FLYGBW	LCD 16x2 LED B/L STN/+TRNSF 6:00 64.5x16
FDCC1602G-NLYBBW	LCD 16X2 LED B/L STN/-TRNSM 6:00 64.5X16



FDCC1602P-NLYBBW	LCD 16x2 LED B/L STN/-TRNSM 6:00 99.5x24
FDCC2004B-FSWFBW	LCD 20x4 LED B/L FSTN TRNSF 6:00 76x25.2
FDCC2004B-NSWBBW	LCD 20x4 LED B/L STN -TRNSM 6:00 76x25.2
FDCC2004D-NSWBBW	LCD 20x4 LED B/L STN -TRNSM 6:00 123x43
FDCG12864NFLYYBH	LCD 128x64 LED B/L STN/+TRNSF6:0 60x32.5
FF130SH	MOTOR
FIC. 2JACK-2JACK RCA	Ficha adaptadora 2 jack rca a 2 jack rca
FIC. 300/75 A PLUG	Ficha adaptadora 300/75 ohms a plug 3.5 mm mono
FIC. 75 OHM H. G	Ficha 75 ohms hembra pin grueso negra
FIC. 75 OHM H.PGR C	Ficha 75 ohms hembra pin grueso a rosca p/chasis
FIC. 75 OHM M. F	Ficha 75 ohms macho pin fino negra
FIC. 75 OHM M. G	Ficha 75 ohms macho pin grueso negra
FIC. 75 OHM PROL H	Ficha 75 ohms prolongacion hembra
FIC. 75 OHM PROL H C	Ficha 75 ohms prolongacion hembra c/colita
FIC. 75 OHM PROL M	Ficha 75 ohms prolongacion macho
FIC. ADP TEL 1X2 AME	Ficha adaptador telefonico 1*2 americano
FIC. ADP TEL 1X3 AME	Ficha adaptador telefonico 1*3 americano
FIC. ANT. COCHE H	Ficha antena de coche hembra
FIC. ANT. COCHE M	Ficha antena de coche macho
FIC. BALUM EXT. CC	Ficha balum 300/75 ohms exterior con capuchon
FIC. BALUM T/L H F	Ficha balum 300/75 ohms t/lapiz hembra p/fino
FIC. BALUM T/L H G	Ficha balum 300/75 ohms t/lapiz hembra p/grueso
FIC. BANANA H/NEG	ficha banana hembra negra
FIC. BANANA H/ROJO	ficha banana hembra rojo
FIC. BANANA M/ROJO	ficha banana macho rojo
FIC. C/BALUM P/F	Ficha adaptadora c/balum 300/75 ohms p/f
FIC. C/BALUM P/G	Ficha adaptadora c/balum 300/75 ohms p/g
FIC. CANON H 3P 90	Ficha canon hembra 3 patas a 90°
FIC. CANON PR. H	Ficha canon prolongacion hembra
FIC. CANON PR. M	Ficha canon prolongacion macho
FIC. F COAX RG 6 P	Ficha f conector coaxil rg 6 c/pollera
FIC. F COAX RG 6 R	Ficha f conector coaxil rg 6 c/rosca
FIC. F CON COAXIL	Ficha f conector coaxil
FIC. H BNC C/CAPUC	Ficha hembra bnc c/capuchon
FIC. H BNC RG 58 C	Ficha hembra bnc rg 58 p/chasis
FIC. H F59 CHASIS	Ficha hembra f59 para chasis
FIC. H P/F-H P/F	Ficha adaptadora hembra p/f a hembra p/f
FIC. H P/F-M P/G	Ficha adaptadora hembra p/f a macho p/g
FIC. H P/F-PLUG RCA	Ficha adaptadora hembra p/f a plug rca
FIC. H P/G-H P/G	Ficha adaptadora hembra p/g a hembra p/g
FIC. H P/G-JACK RCA	Ficha adaptadora hembra p/g a jack rca
FIC. H P/G-M P/F P	Ficha adaptadora hembra p/g a macho p/f a presion
FIC. H P/G-M P/F R	Ficha adaptadora hembra p/g a macho p/f a rosca
FIC. H P/G-PLUG RCA	Ficha adaptadora hembra p/g a plug rca
FIC. H UHF RG 8U C	Ficha hembra uhf rg 8u p/chasis
FIC. H-H UHF	Ficha adaptadora hembra-hembra uhf
FIC. J RCA-2 J RCA	Ficha adaptadora jack rca a 2 jack rca
FIC. J RCA-2P RCA	Ficha adaptadora jack rca a 2 plug rca
FIC. JACK 2.5 MONO C	Ficha jack 2.5 mm mono c/corte plastica
FIC. JACK 3.5 ST	Ficha jack 3.5 mm stereo s/corte
FIC. JACK 3.5 ST CI	Ficha jack 3.5 mm stereo p/circ. imp.
FIC. JACK 6.5 MONO	Ficha jack 6.5 mm mono s/corte
FIC. JACK 6.5 MONO C	Ficha jack 6.5 mm mono c/corte
FIC. JACK 6.5 ST	Ficha jack 6.5 mm stereo s/corte
FIC. JACK 6.5 ST C	Ficha jack 6.5 mm stereo c/corte
FIC. JACK DC 2.1 C	Ficha jack dc 2.1 mm c/corte

FIC. JACK DC 2.5 C	Ficha jack dc 2.5 mm c/corte
FIC. JACK DC PH 1	Ficha jack dc para plug hueco 1mm
FIC. JACK M-DIN 4P	Ficha jack minidin 4p para impreso plastico
FIC. JACK RCA PROF.	Ficha jack rca profesional negra
FIC. JACK RCA PROF.R	Ficha jack rca profesional roja
FIC. JACK TEL RJ11 C	Ficha jack telefonico rj 11 c/cable 623k
FIC. JACK TEL RJ9 C	Ficha jack telefonico rj 9 c/cable
FIC. JACK TV CHASIS	Ficha jack tv p/chasis
FIC. M BNC C T 50 L	Ficha macho bnc c/carga terminal 50 ohms de lujo
FIC. M BNC RG 58/U C	Ficha macho bnc rg 58/u para crimpear
FIC. M BNC RG 59/U C	Ficha macho bnc rg 59/u p/crimpear
FIC. M P/F-M P/F	Ficha adaptadora macho p/f a macho p/f
FIC. M UHF RG213/RG8	Ficha macho uhf rg213/rg8 (aislante de bakelita)
FIC. M.BNC-H.RCA	Ficha adaptadora macho bnc a hembra rca
FIC. M.DIN-H.ISO C	Ficha adaptadora macho din a hembra iso corto
FIC. M.ISO-H.DIN	Ficha adaptadora macho iso a hembra din
FIC. MINI DIN 4P. M	Ficha mini din 4p. macho
FIC. MINI DIN 6P. M	Ficha mini din 6p. macho
FIC. MINI DIN 8P. M	Ficha mini din 8p. macho
FIC. P.H0.7X2.5X9	Ficha plug hueco 0.7 mm x 2.5 mm x 9 mm
FIC. P.H1.1X3.5X10	Ficha plug hueco 1.1 mm x 3.5 mm x 10 mm
FIC. P.H1.3X3.5X10.5	Ficha plug hueco 1.3 mm x 3.5 mm x 10.5 mm
FIC. P.H1.4X3.5X11	Ficha plug hueco 1.4 mm x 3.5 mm x 11 mm
FIC. P.H1.7X4.0X11	Ficha plug hueco 1.7 mm x 4.0 mm x 11 mm
FIC. P.H1X3X9	Ficha plug hueco 1.0 mm x 3.0 mm x 9 mm
FIC. P.H2.1X5.5X13	Ficha plug hueco 2.1 mm x 5.5 mm x 13 mm
FIC. P.H2.5X5.5X13	Ficha plug hueco 2.5 mm x 5.5 mm x 13 mm
FIC. P.H3.1X6.3X14	Ficha plug hueco 3.1 mm x 6.3 mm x 14 mm
FIC. PC 3P CM C/PF	Ficha p.c. 3 p. chasis macho con porta fusible
FIC. PC 3P M PR.	Ficha p.c. 3 p. macho prolongacion
FIC. PLU RCA-2J RCA	Ficha adaptadora plug rca a 2 jack rca
FIC. PLU RCA-J3.5M	Ficha adaptadora plug rca a jack 3.5 mono
FIC. PLU RCA-J6.5M	Ficha adaptadora plug rca a jack 6.5 mono
FIC. PLU2.5M-J3.5ST	Ficha adaptadora plug 2.5 mono a jack 3.5 st
FIC. PLU3.5M-2J RCA	Ficha adaptadora plug 3.5 mono a 2 jack rca
FIC. PLU3.5M-2J3.5M	Ficha adaptadora plug 3.5 mono a 2 jack 3.5 mono
FIC. PLU3.5M-2J6.5M	Ficha adaptadora plug 3.5 mono a 2 jack 6.5 mono
FIC. PLU3.5M-J RCA	Ficha adaptadora plug 3.5 mono a jack rca
FIC. PLU3.5M-J3.5ST	Ficha adaptadora plug 3.5 mono a jack 3.5 st
FIC. PLU3.5M-J6.5M	Ficha adaptadora plug 3.5 mono a jack 6.5 mono
FIC. PLU3.5M-J6.5ST	Ficha adaptadora plug 3.5 mono a jack 6.5 st
FIC. PLU3.5ST-2J RCA	Ficha adaptadora plug 3.5 st a 2 jack rca
FIC. PLU3.5ST-2J3.5S	Ficha adaptadora plug 3.5 st a 2 jack 3.5 st
FIC. PLU3.5ST-2J6.5S	Ficha adaptadora plug 3.5 st a 2 jack 6.5 st
FIC. PLU3.5ST-2P RCA	Ficha adaptadora plug 3.5 stereo a 2 plug rca
FIC. PLU3.5ST-J3.5M	Ficha adaptadora plug 3.5 st a jack 3.5 mono
FIC. PLU3.5ST-J6.5ST	Ficha adaptadora plug 3.5 st a jack 6.5 st
FIC. PLU6.5M-2J3.5M	Ficha adaptadora plug 6.5 mono a 2 jack 3.5 mono
FIC. PLU6.5M-2J6.5M	Ficha adaptadora plug 6.5 mono a 2 jack 6.5 mono
FIC. PLU6.5M-J RCA	Ficha adaptadora plug 6.5 mono a jack rca
FIC. PLU6.5M-J3.5M	Ficha adaptadora plug 6.5 mono a jack 3.5 mono
FIC. PLU6.5ST-2J RCA	Ficha adaptadora plug 6.5 st a 2 jack rca
FIC. PLU6.5ST-2J3.5S	Ficha adaptadora plug 6.5 st a 2 jack 3.5 st
FIC. PLU6.5ST-2J6.5S	Ficha adaptadora plug 6.5 st a 2 jack 6.5 st
FIC. PLU6.5ST-2P RCA	Ficha adaptadora plug 6.5 stereo a 2 plug rca
FIC. PLU6.5ST-J3.5ST	Ficha adaptadora plug 6.5 st a jack 3.5 st

FIC. PLUG 2.5 MONO P	Ficha plug 2.5 mm mono plastico
FIC. PLUG 2.5 ST P	Ficha plug 2.5 mm stereo plastico
FIC. PLUG 3.5 MONO P	Ficha plug 3.5 mm mono plastico
FIC. PLUG 3.5 ST P	Ficha plug 3.5 mm stereo plastico
FIC. PLUG 6.5 MONO P	Ficha plug 6.5 mm mono plastica
FIC. PLUG 6.5 ST P	Ficha plug 6.5 mm stereo plastica
FIC. PLUG 6.5M C/C M	Ficha plug 6.5 mm mono c/colita metalica
FIC. PLUG AUTO 12V	Ficha plug para encendedor de coche 12v
FIC. PLUG RCA C/C P	Ficha plug rca c/colita plastica (negro)
FIC. PLUG RCA PROF.	Ficha plug rca profesional (cnp518)
FIC. PLUG TEL 4P4C	Ficha plug telefonico rj-9 (4p4c)
FIC. PLUG TEL 6P4C	Ficha plug telefonico rj-11 (6p4c)
FIC. PLUG TEL 8P8C	Ficha plug telefonico rj-45 cat.5 (8p8c)
FIC. PLUG TEL RJ-45	Ficha plug telefonico rj-45 (8 cont.)
FIC. PLUG6.5M-2P RCA	Ficha adaptadora plug 6.5 mono a 2 plug rca
FIC. PR COAX 75 PREN	Ficha prolongacion coaxil 75 ohms c/prensa (jgo.)
FIC. PR JACK 2.5 MON	Ficha prolongacion jack 2.5 mm mono
FIC. PR JACK 3.5 MON	Ficha prolongacion jack 3.5 mm mono
FIC. PR JACK 6.5 MON	Ficha prolongacion jack 6.5 mm mono
FIC. PR JACK 6.5 ST	Ficha prolongacion jack 6.5 mm stereo
FIC. PR. TEL	Ficha prolongador telefonico
FIC. RCA H CHAS R	Ficha rca hembra chasis rojo
FIC. RCA H PR. R	Ficha rca hembra prolongacion roja
FIC. RCA L/ROJO	ficha rca de lujo rojo
FIC. RCA PROL H	Ficha rca hembra prolongacion negra
FIC. RED GRAB. 2 R C	Ficha red p/grabador 2 ranuras c/corte
FIC. RED GRAB. S R C	Ficha red p/grabador s/ranura c/corte
FIC. SPEAKON H CHAS	Ficha speakon hembra chasis
FIC. SPEAKON M.	Ficha speakon macho prolong. a cable
FIC. STE M (PHIL)	Ficha stereo macho (philco/ philips)
FIC. USB H6P-MD M	Ficha adaptadora usb tipo a hembra-6p minidin mach
FIC. VULC 2 V M-H	Ficha vulcanizada 2 vias (106) macho-hembra
FIC. VULC 4V 1M3H-3M	Ficha vulcanizada 4 vias (112-113)j.plano 1m-3h/3m
FILTRO TEL ADSL	Filtro telefonico para adsl
FM24C256-G	FRAM I2C 32Kx8 5V
FM25L16-G	FRAM SPI 2Kx8 3.3V
FM33256-G	PROC COMP SPI 32Kx8FR RTC WD CTR SN 3V
FP	PIN PARA HOUSING
FP140	HEMBRA A CABLE 1*40 (HOUSING)
FP240	HEMBRA A CABLE 2*40 (HOUSING)
FR102	RECTIFICADOR FAST RECOVERY 50V 150NS
FR107	RECTIFICADOR FAST RECOVERY 1KV 500NS
FRB083-100K	MINIATURA VERTICAL 100K
FRB083-10K CDE	MINIATURA VERTICAL 10K
FRB083-1K CDE	MINIATURA VERTICAL 1K
FRB083-1M CDE	MINIATURA VERTICAL 1M
FRB083-220	MINIATURA VERTICAL 220
FRB083-22K	MINIATURA VERTICAL 22K
FRB083-2M	MINIATURA VERTICAL 2M
FRB083-470	MINIATURA VERTICAL 470
FRB083-470K	MINIATURA VERTICAL 470K
FRB085-100K	MINIATURA HORIZONT.100K
FRB085-10K CDE	MINIATURA HORIZONT.10K OHM
FRB085-1K CDE	MINIATURA HORIZONT.1K OHM
FRB085-1M	MINIATURA HORIZONT.1M
FRB085-22K	MINIATURA HORIZONT.22K OHM

FRB085-4K7 CDE	MINIATURA HORIZONT.4K7 OHM
FS1M	RETIFICAD. 1A/1000V -REEL
FT1218MW 00TU	TRIAC 12A/600V 80A ITsm, Igt 25mA
FT232BL LF	USB UART (USB -SERIAL)
FU0.5AX20 JF	0.5A FUSIBLE 20mm
FU0.5AX20 MI	0.5A FUSIBLE 20mm MIGNON
FU10AX20	10A FUSIBLE 20mm
FU1AX20 TAI	1A FUSIBLE 20mm
FU1AX30	1A FUSIBLE 30mm
FU2AX20 MI	2A FUSIBLE 20mm MIGNON
FU2AX20 TAI	2A FUSIBLES 20mm
FU2AX30	2A FUSIBLE 30mm
FU3AX20 NB	3A FUSIBLE 20mm
FU5AX20	5A FUSIBLE 20mm
FU6AX20	6A FUSIBLE 20mm
FU8AX30	8A FUSIBLE 30mm
FUENTE 12V 2200 F/LL	Fuente 12v 2200ma c/fusible gab.plast.c/llave y le
FUENTE 16V 0.8A	Fuente 16V 0.8A
FUENTE 4.5V 500MA	Fuente 4.5v 500ma maeni c/inv.de pol.
FUENTE 6V 2A	Fuente 6V 2A
FUENTE 6V 500MA	Fuente 6V 500ma
FUENTE 7.5V 500MA	Fuente 7.5v 500ma
FUENTE 9V1AC/P	Fuente 9vcc 1A c/polar
FUENTE 9V500MAC/2.1	Fuente 9V 500ma conector 2.1mm
FUENTE 9V500MAC/P	Fuente 9vcc 500ma c/polar.
FUENTE SW 5V2A P PAR	Fuente 5v 2a plug 2.1 de pared fullenergy
FUS. T 115 2A250V	Fusible termico 115°C 2a 250v
FUS. T 135 2A250V	Fusible termico 135°C 2a 250v
FYA20T	PIEZO RESONADOR 20*15*.5*.25mm
FYA27T	PIEZO RESONADOR 4.1KHz 27*20*.5*.25
FYB20T	PIEZO 20mm DIA. 6.6KHz SELF-ACTIVATED
FYB27T	PIEZO 27mm DIA. 4.1KHz SELF-ACTIVATED
FYC-3P (S/P)	CABLE PLANO 3 CONDUCTORES 13CM
FYC-7P (S/P)	CABLE PLANO 7 CONDUCTORES 5CM
FYC-8P (S/P)	CABLE PLANO 8 CONDUCTORES 5CM
G2306A	N CHANNEL POWER MOSFET 3.16A 30V
G2309	P CHANNEL POWER MOSFET -3.7A -30V
G2N3904	NPN 60V/0.2A/0.625W
G2N3906	PNP 40V/0.2A/0.625W
G2N7002	MOSFET N BVdss=60V Id=115mA PD=200mW
G3401 SOT23	P CHANNEL POWER MOSFET -4A -16V
G78L05-S GTM	REGULADOR +05V +/- 1% 100MA
G78L08 TO92 GTM	REGULADOR +08V 100MA
G79L05 TO92 GTM	REGULADOR -05V 100MA
GABINETE PLAST 62F	gabinete plastico 62f ciega p/fuente (75x58x46)
GABINETE PLAST P11	gabinete plastico P11 interior (100x55x41)
GABINETE PLAST P13	Gabinete plastico P13A(109x75x47)
GABINETE PLAST P14	gabinete plastico P14 negro (116x74x34)
GABINETE PLAST P15	Gabinete plastico P15 negro (109x74x71)
GABINETE PLAST P3	gabinete plastico P3 con pulsador (52x35x14)
GABINETE PLAST P3X2	Gabinete plastico p3 con 2 puls.c/torn. (52x35x17)
GABINETE PLAST P5	Gabinete plastico P5 (100x55x26)
GABINETE PLAST P8	gabinete plastico p8 interior(75x55x29)
GABINETE PLAST PB90	Gabinete plastico pb90 marfil/gris (135x179x91)
GAL16V8-25LP	20 PINES PROGRAMABLE ARRAY LOGIC
GBC807B	SMD PNP 45V/0.5A PRE-DRIVER AF

GBC817B	SMD NPN 45V/0.5A PRE-DRIVER AF
GBC847B	SMD NPN 45V/10mA PRE-DRIVER AF
GBC848B	SMD NPN 30V/10mA PRE-DRIVER AF
GBC858B GTM	PNP 30V/0.1A/0.5W PRE-DRIVER SMD
GE7805 TO220 GTM	REGULADOR +05V 1A
GE7812 TO220 GTM	REGULADOR +12V 1A
GELM317	REGULADOR AJUSTABLE
GJ1084-3.3	REGULADOR +3.3V 5A
GJ1084-5.0	IC SMD
GJ1117A	IC SMD
GJ1117A1.8VTO252	IC SMD
GJ1117A2.5VTO252	IC SMD
GJ1117A3.3VTO252	IC SMD
GJ1117A5.0VTO252	REGULADOR +5.0V 1A
GJ7805 TO252 GTM	REGULADOR +05V 1A D-PAK
GJ7808 TO252 GTM	REGULADOR +08V 1A D-PAK
GJ7809 TO252 GTM	REGULADOR +09V 1A D-PAK
GJ7812 TO252 GTM	REGULADOR +12V 1A D-PAK
GJ9971	MOSFET N-CH 60V 15A DPAK
GJLM317 TO252GTM	REG.AJUSTABLE DE 3 TERMINALES D-PAK
GM78L05 SOT89	REGULADOR +05V 100MA (SMD-SOT89)
GM78L06-A SOT89	REGULADOR +06V 100MA (SMD-SOT89)
GM78L12 SOT89GTM	REGULADOR +12V 100MA (SMD-SOT89)
GMBT2222A	SMD NPN 40V/380mA 300MHZ
GMBT2907A	SMD PNP 60V/150mA 200MHZ
GMBT3904A	SMD NPN 40V/10mA 300MHZ
GMBTA42	SMD NPN 300V/20mA 50MHZ
GMBTA92	SMD PNP 300V/20mA 50MHZ
GMBTH10-SOT23	TRANSISTOR NPN 25V/0.35W/650MH SMD
GMLM317L SOT89	REG.AJUSTABLE DE 3 TERMINALES D-PAK
GMPSA13	DARL NPN 30V/0.5A/FT4MHZ
GMPSA14	DARL NPN 30V/0.5A/FT4MHZ
GMPSA42	NPN 300V/0.5A/0.625W - USOS GENERALES
GP34063 DIP8 GTM	DC-to-DC CONVERTER CONTROL CIRCUIT
GP8F-A5	LECTOR PARA TARJETAS RFID
GP8F-R2	LECTOR PARA TARJETAS RFID
GPF312221	LLAVE GRANDE DECIMAL SALIDA DECIMAL
GPF521221	LLAVE CHICA DECIMAL SALIDA BINARIA
GPLM358 DIP8 GTM	DOBLE OPERACIONAL BAJA POTENCIA
GPLM386	AMPLIFICADOR DE POTENCIA
GPLM393 DIP8 GTM	COMPARADOR-DUAL
GPN2907A	PNP 60V/0.6A/0.625W
GPNE555	TIMER
GQ2123-28	REGULADOR VOLTAGE CMOS POSITIVE
GS34063 SOP8 GTM	DC-to-DC CONVERTER CONTROL CIRCUIT
GSC78L05 SOP8T/R	REGULADOR +05V 100MA (SMD-SOP8)
GSCLM358 SOP8GTM	DOBLE OPERACIONAL BAJA POTENCIA
GSLM393 SOP8 GTM	COMPARADOR-DUAL
GTL431-A 0.5%	ZENER PROGRAMABLE
GU7805 LF	REGULADOR +05V 1A D2PAK
H11L1-M	OPTOISOLADOR
H66T32L	GENERADOR DE 1 MELODIA (CO CO WALTZ)
HC-511-1200S 6T	SIRENA C/PLAQUETA ELECTRONICA 8 OHM
HC-511-600S A	SIRENA 15W 6T W/HAIR CRACK ON SCREW
HCF4051BEY ST	MULTIPLEXOR/DEMULT. 8-CANALES.
HCF4053BEY ST	TRIPLE MULTIPLEXOR/DEMULT. 2-CANALES.

HCF4093BEY ST	CUADRUPLE NAND SCHMITT TRIGGER 2 ENTRAD.
HD74HC00P LF RE	CUADRUPLE NAND DE 2 ENTRADAS
HD74HC04P-E RE	SEXTUPLE NEGADOR/INVERSOR
HDR315M S-3	RESONADOR SAW 315 MHz SMD
HDR315MHZ TO39	RES. 315MHz +/- 75KHz ONE PORT
HDR418M TO39	RES, 1-PORT, 418.000MHZ +/-75KHZ, 2.0DB
HDR433.92M TO39	RES, 1-PORT, 433.920MHZ +/-75KHZ, 2.0DB
HEF4001BTR PHI	CUADRUPLE NOR 2 ENTRADAS
HEF40106BP PHI	SEXTUPLE SCHMITT TRIGGER
HEF4011BP PHI	CUADRUPLE NAND 2 ENTRADAS
HEF4066BP PHI	CUADRUPLE LLAVE BILATERAL (Ron=80Ω)
HEF4069UBTR SMD	CUADRUPLE INVERSOR SMD (PHI)(ENCINTADO)
HEF4070BT PHI	CUADRUPLE OR EXCLUSIVA 2 ENTRADAS
HEF4093BP PHI	CUADRUPLE NAND SCHMITT TRIGGER 2 ENTRAD.
HEF4093BTR PHI	CUADRUPLE NAND SCHMITT TRIGGER 2 ENTRAD.
HEF4511BP PHI	DECOD.DRIVERS LATCH BCD A 7 SEG.(LED)
HIMP00025	PINZA GRIMPEADORA P/TERMINALES DESNUDOS.
HIN232CBZ-T ENC	DOBLE TRANSCEIVER RS-232 5V
HIN232CPZ LF DIP	DOBLE TRANSCEIVER RS-232 5V
HK77-68	GENERADOR DE 1 MELODIA (IT IS A SMALL W)
HO-03A KIT	Kit de magneticos con tornillos ho-03a
HO-03B KIT	Kit de magneticos precableados ho-03b
HQ-9765M-C58C	MICROFONO -58dB +- 3dB
HQT03-26 WG26	LECTOR DE TARJETAS RFID (Wiegand 26)
HS-88	PORTA SOLDADOR C/ESPONJA
HS-88 MINI	PORTA SOLDADOR MINI S/ESPONJA
HT12A	CODIF. 12bits c/38khz port.infra (DIP18)
HT12D LF DIP18	DECODIFICADOR 12-BITS (8+4) (DIP18)
HT12D SOP20	CODIFICADOR 12 BITS (2 ESTADOS) (SOP20)
HT12E LF DIP18	CODIFICADOR 12-BITS (DIP18)
HT12E LF SOP20	CODIFICADOR 12-BITS (SOP20)
HT12F	DECODIFICADOR 12 BITS (DIP18)
HT1380LF DIP8	SERIAL TIMEKEEPER (DIP8)
HT1381 SOP8	SERIAL TIMEKEEPER (SOP8)
HT1621 LF SSOP48	DRIVER LCD 32x4 XTL int/ext (48SSOP)
HT2201 SOT25 T/R	EEPROM I2C 128x8
HT24LC02 LF DIP8	EEPROM I2C 256x8
HT24LC02 LF SOP8	EEPROM I2C 256x8
HT24LC04 DIP8	EEPROM I2C 512x8
HT24LC04 LF SOP8	EEPROM I2C 512x8
HT24LC08 DIP8	EEPROM I2C 1Kx8
HT24LC16 SOP8	EEPROM I2C 2Kx8
HT24LC64 LF DIP8	EEPROM I2C 8Kx8
HT24LC64 SOP8	EEPROM I2C 8Kx8
HT27C010-70D DIP32	EPROM CMOS 128K*8 OTP
HT2811 DIP8	GENERADOR DE SONIDO (DING DONG) (DIP8)
HT2860C DIP16	GENERATOR DE 6 SONIDOS (DIP16)
HT3834 SOP28	GENERADOR DE 36 MELODIA SOP28
HT38A5 DIP16	GENERADOR DE 12 MELODIA DIP16
HT46R47 LF SOP18	MICRO CTRL 2K ROM,128
HT48 APP KIT	Kit de aplicación Holtek
HT6010 DIP18	TRI. 12 DIRECCION/DATO ENCODER (DIP18)
HT6116-70	RAM ESTATICA 2K*8 -70ns
HT640/SOP	CODIFICADOR P/ ALARMA AUTO
HT6P20B LF DIP8	CODIFICADOR 24-BITS (DIP8)
HT6P20B LF SOP8	CODIFICADOR 24-BITS (22+2) (SOP8)

HT7027A-1LF TO92	DETECTOR DE TENSION 2.7V
HT7039A-1 TO92	DETECTOR DE TENSION 3.9V
HT7044A-1 TO92	DETECTOR DE TENSION 4.4V
HT7044AST SOT89	DETECTOR DE TENSION 4.4V
HT7050A-1 LFTO92	DETECTOR DE TENSION 5V
HT7050AST SOT89	DETECTOR DE TENSION 5V
HT7130-1SOT89 TR	REGULADOR DE VOLTAJE 3.0V SMD (SOT89)
HT7130A TO92	REGULADOR DE VOLTAJE 3.0V (TO92)
HT7133A1 LF	LDO 3,3V (TO-92)
HT7136A-1 SOT89	LDO 3,6V (SOT89)
HT7150-1LF SOT89	LDO 5V SMD (SOT89) T/R
HT7150A-1 TO92	REGULADOR DE VOLTAJE 5V (TO92)
HT7230 SOT89	REGULAD. 3V PROPOSITO GRAL
HT7233 SOT89	REGULAD. 3V PROPOSITO GRAL
HT7333 TO-92	REG.DE TENSION +3.3V 250mA,LDO,Vin=12V
HT74164	SHIFT REGISTER 8-BIT SIPO
HT7533-1 LF TO92	REG.DE TENSION.+3.3V 100mA, LDO, Vin=24V
HT7550	REGULADOR +05V 100MA (TO92)
HT7550-1 TO92	REG.DE TENSION +5V 150mA, LDO, Vin=24V
HT7610A LF DIP16	CONTROLADOR PIR PROPOSITO GRAL (DIP16)
HT7610B LF DIP16	CONTROLADOR PIR PROPOSITO GRAL (DIP16)
HT7660 SOP8	DC/DC CONVERTER TUBE
HT7733 LF SOT89	PFM STEP-UP DC/DC CONVERTER Vo=3.3V
HT7750 LF SOT89	PFM STEP-UP DC/DC CONVERTER Vo=5.0V
HT7750 LF TO92	PFM STEP-UP DC/DC CONVERTER Vo=5.0V
HT8950A	VOICE MODULATOR (DIP16)
HT9032C DIP16	CALLER ID (DIP16)
HT9170B LF DIP18	RECEPTOR DTMF POWER DOWN (DIP18)
HT9170D LF SOP18	RECEPTOR DTMF SMD
HT9200A LF DIP8	GENERADOR DE DTMF (DIP8)
HT9200A SOP8	GENERADOR DE DTMF SMD
HT9200B LF DIP14	GENERADOR DE DTMF (DIP14)
HT9302G (S/P)	2 MEMORIA DISCADOR TONO/PULSO (DIP18)
HT93LC46 DIP8 V5	EEPROM MICROWIRE128x8 / 64x16
HT93LC46ALF SOP8	EEPROM MICROWIRE128x8 / 64x16
HT93LC56 LF DIP8	EEPROM MICROWIRE 256x8 / 128x16
HT93LC56A S	EEPROM MICROWIRE 256x8 / 128x16
HT93LC66A S	EEPROM MICROWIRE 512x8 / 256x16
ICL7106CPLZ-LF	ADC 3 ¼ DIGITOS, LCD
ICL7660SCP	CONVERSOR VOLTAJE +5V A -5V
IDC-10	IDC-10 CONNECTOR
IDC-14	IDC-14 CONNECTOR
IDC-16	IDC-16 CONNECTOR
IDC-20	IDC-20 CONNECTOR
IDC-26	IDC-26 CONNECTOR
IDC-34	IDC-34 CONNECTOR
IDC-40	IDC-40 CONNECTOR
INTEKIT 11	Kit indicador de línea telefónica en uso
INTEKIT 16	Kit control de velocidad para motor DC
INTEKIT 20	Kit generador de audio variable
INTEKIT 27	Kit luz de emergencia
INTEKIT 3	Kit fuente de alimentación de +5, +12, -12 de 0.5A
INTEKIT 7	Kit luz intermitente con relé
INTEKIT 8	Kit fuente de poder variable de 1
INTEKIT13	Kit sirena electrónica
INTEKIT14	Kit amplificador de audio de baja potencia

INTEKIT18	Kit Indicador de nivel de agua
INTEKIT2	Kit luces de velocidad variable
INTEKIT21	Kit volímetro de led
INTERLOCK 2R 8P C1.5	Interlock 2 ranuras tipo ocho patas chatas 1.5mts
INTERLOCK 2R 8P R1.5	Interlock 2 ranuras tipo ocho patas redondas 1.5mt
IPEXAS081A-0050C	RF CABLE IPEXII(F)+SMA(F) 5CM 0.81ø GRIS
IR909C	EMISOR INFRARROJO 940nm, 40*DEG
IRF540N IR	TRANSISTOR MOSFET 30A-100V-150W
IRF5800TR	HEXFET PCH-30V -4.0A
IRF630 LF ST	MOSFET POTENCIA CANAL-N 200V 75W
IRF9530N LF IR	P-CHANNEL POWER MOSFET Vds=100v Id=10.5A
IRFZ44N IRF	TRANSISTOR MOSFET 60V 35A 150W
IRM3638	RECEPTOR DE CTRL REMOTO INFRARROJO 38KHz
IRM8601F (3.3V)	RECEPTOR DE CTRL REMOTO INFRARROJO (3.3V)
IRM8601S-P LF	RECEPTOR DE CTRL REMOTO INFRARROJO 38KHz
IRS201-1CG	PANEL TIPO SW. 4P ON-OFF 15A250VAC
JEF501A (PAT.Y)	5.2mm P.C.B. FUSE CLIPS
JEF501E (PAT.H)	5.2mm P.C.B. FUSE CLIPS
JEF507+COVER	PORTA FUSIBLE CON TAPA
JEF-603	PORTAFUSIBLE TIPO ROSCA PARA 5.2*20mm
JEF706+CAB	PORTAFUSIBLE
JF-510(COV+HOLD)	PORTA FUSIBLE PARA PCB 5.2*20mm
JGO DE PINZA/ PRESIC	Juego de pinza de precision
JPK-0608-221K	BOBINA 220UH
JPK-0810-221K	BOBINA 220uH
JS01100104	JS011 PIN AWG#18-22
JS01104010	JS011 HOUSING 2*02
JS01106010	CP011 HOUSING 2*03
JS01108010	JS011 HOUSING 2*04
JS01110010	JS011 HOUSING 2*05
JS01112010	JS011 HOUSING 2*06
JS01114010	JS011 HOUSING 2*07
JS01116010	JS011 HOUSING 2*08
JS01120010	JS011 HOUSING 2*10
JS01122010	JS011 HOUSING 2*11
JS01200104	PIN para JS1148 HOUSING
JS01204000	HOUSING 2*2 (CON TRABA)
JS01206000	HOUSING 2*3 (CON TRABA)
JS01208000	JS011 HOUSING 2*04 (CON TRABA)
JS01210000	JS011 HOUSING 2*5 (CON TRABA)
JS01216000	HOUSING 2*8 (CON TRABA)
JS01220000	HOUSING 2*10 (CON TRABA)
JS01404110	WAFER 2*2 90deg
JS01406110	WAFER 2*3 90deg
JS01408110	WAFER 2*4 90deg
JS01410110	WAFER 2*5 90º
JS01412110	WAFER 2*6 90º
JS01414110	WAFER 2*7*90deg 14PINES
JS01416110	WAFER 2*8*90deg 8PINES
JS01420110	WAFER 2*10*90deg
JS-1001-06	JS-06 WAFER-06 PITCH=2.5mm
JS-1001-07	JS-07 WAFER-07 PITCH=2.5mm
JS-1001-08	JS-08 WAFER-08 PITCH=2.5mm
JS-1001-10	JS-10 WAFER-10 PITCH=2.5mm
JS-1001-15	JS-15 WAFER-15 PITCH=2.5mm
JS-1001-2	JS-02 WAFER-02 PITCH=2.5mm



JS-1001-3	JS-03 WAFER-03 PITCH=2.5mm
JS-1001-4	JS-04 WAFER-04 PITCH=2.5mm
JS-1001R08	JS-08 WAFER 90° PITCH=2.5mm
JS-1001R10	JS-10 WAFER 90° PITCH=2.5mm
JS-1001R-2	JS-02 WAFER-02 90° PITCH=2.5mm
JS-1001R-3	JS-03 WAFER 90° PITCH=2.5mm
JS-1001R-4	JS-04 WAFER-04 90° PITCH=2.5mm
JS-1001R-6	JS-06 WAFER 90° PITCH=2.5mm
JS-1120R-2	JS-1120R-2 WAFER 90°
JS-1120R-4	JS-1120R-4 WAFER 90°
JS-1120R-5	JS-1120R-5 WAFER 90°
JS-1120R-6	JS-1120R-6 WAFER 90°
JS-1120R-7	JS-1120R-7 WAFER 90°
JS-1120R-8	JS-1120R-8 WAFER 90°
JS-1121-2	JS-1121-2 HOUSING
JS-1121-4	JS-1121-4 HOUSING
JS-1121-5	JS-1121-5 HOUSING
JS-1121-6	JS-1121-6 HOUSING
JS-1121-7	JS-1121-7 HOUSING
JS-1121-8	JS-1121-8 HOUSING
JS-1121T LF	TERMINAL (CUADRADO)
JS-1126WS-40	TIRA POSTES RECTOS - 1*40 2mm MACHO
JS-2001-02	JS-2001-2 HOUSING
JS-2001-03	JS-2001-3 HOUSING
JS-2001-04	JS-2001-4 HOUSING
JS-2001-06	JS-2001-06 HOUSING
JS-2001-07	JS-2001-7 HOUSING
JS-2001-08	JS-2001-8 HOUSING
JS-2001-10	JS-2001-10 HOUSING
JS-2001-15	JS-2001-15 HOUSING
JS-2001-T	JS-2001-T
JS-4001R02	JS-02 WAFER 90° =PM02LT
JS-4001R-12	JS-12 WAFER 90° =PM12LT
JS-4001R-15	JS-15 WAFER 90° =PM15LT
JS-4001R-16	JS-16 WAFER 90° =PM16LT
JS-4001R-3	JS-03 WAFER 90° =PM03LT
JS-4001R-4	JS-04 WAFER 90° =PM04LT
JS-4001R-6	JS-06 WAFER 90° =PM06LT
JS-4001R-7	JS-07 WAFER 90° =PM07LT
JS-4001R-8	JS-08 WAFER 90° =PM08LT
JS-4001S02	JS-02 WAFER 180° =PM02ST
JS-4001S03	JS-03 WAFER 180° =PM03ST
JS-4001S04	JS-04 WAFER 180° =PM04ST
JS-4001S05	JS-05 WAFER 180° =PM05ST
JS-4001S06	PM-06 WAFER 180° =PM06ST
JS-4001S07	PM-07 WAFER 180° =PM07ST
JS-5001-12	JS-12 HOUSING =PF12
JS-5001-15	JS-15 HOUSING =PF15
JS-5001-16	JS-16 HOUSING =PF16
JS-5001-2	JS-03 HOUSING =PF02
JS-5001-3	JS-03 HOUSING =PF03
JS-5001-4	JS-04 HOUSING =PF04
JS-5001-5	JS-05 HOUSING =PF05
JS-5001-6	JS-06 HOUSING =PF06
JS-5001-7	JS-07 HOUSING =PF07
JS-5001-8	JS-08 HOUSING =PF08

JS-5001-T	JS TERMINAL = CT-T (J24221BS)
K25 CHAIN	CADENA DE 4 ESLABONES C/ARGOLLA
K6R4008C1D-JC10	RAM ESTATICA 512K*8 5V
KA2209 DIP SAM	AMP POT DUAL BAJO VOLTAJE
KEYCHA 250	KEY CHAIN
KFC-830	MICRO SWITCH TIPO MINI SOFT TOUCH
KIT DE HERRAMIENTAS	Kit de herramientas HY-126
KIT SOLDA ESTAÑO	Kit de herramientas de soldadura de estaño
KN10P SMD	TRIMMER 10PF SMD
KN20P SMD	TRIMMER 20PF SMD
KN3(C)-102A TUV	LLAVE SW. 3P ON-ON (SPDT) 250V 10A
KN3-1 ON-OFF	LLAVE SW. 2P ON-OFF 4A 125VAC;2A 250VA
KNX-1	LLAVE MINIATURA SW. 3P ON-ON 250V 3A
KNX-1-A2	LLAVE MINIATURA SW. 3P ON-ON 250V 3A PCB
KPT-1105DD	MICRO SWITCH SOFT TOUCH 6*6*4.4mm
KSP10 FSC	NPN 25V/0.35W - VHF/UHF-650MHZ
KST10MTF SMD FSC	NPN 25V/0.35W -VHF/UHF-650MHZ TIPO SMD
L298N ST	IC DUAL FULL DRIVER 15MULTIWATT
L-327EIR1BC	LED 3mm INFRARED EMITTING DIODE SMOKY
L-403GD	LED 2x5mm RECTANGULAR VERDE DIFUSO
L-403SRD	LED 2x5mm RECTANGULAR ROJO DIFUSO
L-403YD	LED 2x5mm RECTANGULAR AMARILLO DIFUSO
L-514EIR1C	5.0mm DIODO EMISOR INFRARROJO 0.8MW
L7809 ST TO220	REGUALDOR +09V 1A
L78L05ACZ ST	Regulador +05V 100MA
LAMP 3.6VX0.5A BAY	Mini lamp 3.6Vx0.5A a bayoneta
LAMPARA C/LUPA N	Lampara con lupa negra
L-C170TBCT-HK	LED SMD AZUL 0805
LED PIRAÑA 024-1400	Led piraña multicolor ultra brillo 80° 1200mcd 3.6
LED PIRAÑA 024-1402	Led piraña ultra brillo azul 130° 400mcd 3.6v
LED PIRAÑA 024-1403	Led piraña ultra brillo amarillo 130° 600mcd 2.6v
LED PIRAÑA 024-1404	Led piraña ultra brillo rojo 130° 900mcd 2.6v
LED PIRAÑA 024-1405	Led piraña ultra brillo verde 130° 1350mcd 3.6v
LEG2062	LED 3mm BICOLOR R/V
LEG3362 5D	LED BICOLOR (ROJO/VERDE)
LEG3392 5D	LED BICOLOR (ROJO/VERDE)
LF356N DIP8 NS	OPERACIONAL JFET
LFG3360 5D	BLINKING LED VERDE(INTERMITENTE)
LFH3360 5D	BLINKING LED ROJO(INTERMITENTE)
LG2020 3D	LED 3mm VERDE DIFUSO P/12.5mm
LG2040 3D	LED Y 3mm VERDE DIFUSO P/25mm
LG3330 5D	LED Y 5mm VERDE DIFUSO P/25mm
LG3630 10D	LED Y 10mm VERDE DIFUSO
L-H339002B	LED 3mmx3 YELLOW/GREEN/RED
L-H346001B	LED 2x3mm QUAD LEVEL GREEN
LHG4692	LED 5mm CILINDRICO BICOLOR R/V
LHI888	IR-DETECTOR PIRELECTRICO
LHRVG3393	LED 5mm BICOLOR
LI3330 5D	LED Y 5mm ROJO DIFUSO P/25mm
LI3630 10D	LED Y 10mm ROJO DIFUSO
LII3360DP	LED 5mm ROJO DOBLE POLARIDAD
LIR2041	LED 3mm INFRARED EMITTING DIODE SMOKY
LJ5771-11-SBA1	DOT MATRIX,ROJO,ALTA/LUM, C.C 1.2"40mcd
LJE3531	JACK LJE3531
LL4148 SMD TRSEM	0.2A/75V-SWITCHING SMD MEF T/R
LLAVE 035-1170	Llave super mini 3P ON-ON 2A 250V

LLAVE 035-W013	Llave super mini 6P ON-ON 3A 250v
LM2575N-05 DIP16	SIMPLE SWITCHER 1A Step-Down Voltage REG
LM2595T-5 TO220	SIMPLE SWITCHER 1A Step-Down Voltage REG
LM2596SX-ADJ LF	SMPS 3A step-down
LM2903DR2 ON	IC COMP LO VOLT DUAL 8-SOIC
LM311 DIP8 NS	COMPARADOR DE TENSION
LM324DR2G SMD ON	CUADRUPLE OPERACIONAL BAJA POTENCIA
LM324DT SMD ST	CUADRUPLE OPERACIONAL BAJA POTENCIA
LM324N DIP14 ST	CUADRUPLE OPERACIONAL BAJA POTENCIA
LM336Z-5.0 FSC	REFERENCIA DE VOLTAJE,5.0V AJUSTABLE
LM339 SO14SL ST	BAJO VOLTAJE OFFSET QUAD COMP.SMD
LM339N DIP14 NS	BAJO VOLTAJE OFFSET QUAD COMP
LM340T-5.0 NS	REGULADOR +05V 1A
LM385Z-2.5 NS	REGULADOR VOLTAGE DIODE MICROPWR
LM386N-1 PBF NS	AMPLIFICADOR DE POTENCIA
LM3914 NS	DISPLAY DRIVER-BARGRAPH LED
LM567 NS	DECODIFICADOR DE TONO
LM567CM S	DECODIFICADOR DE TONO
LPD6380	FOTO DIODOD 5.2mmX2.8mm NEGRO
LPT2023	3mm PHOTO TRANSISTOR WATER CLEAR
LPT3323 5D	5.0mm FOTO TRANSISTOR
LR3310 5D	LED Y 5mm ROJO DIFUSO P/12.5mm
LT1761ES5-3.3 LF	3.3V 100mA L/N L/D AP Reg LEAD FREE
LT8A12-43UR91-T4	LED SMD ROJO 0805
LT8A22-43UR96-T4	LED SMD VERDE 0805
LT8A32-43UR91-T4	LED SMD AMARILLO 0805
LT8AB3-43URC3-TD	LED SMD AZUR 0805
LTST-C930KGKT	LED SMD VERDE
LTST-C930KRKT	LED SMD ROJO
LUG13633	LED 10mm HIGH EFF. VERDE
LUPA GRAN. C/S	Lupa grande c/soporte 50mm 4x
LUPA MED. C/S MET	Lupa c/soporte med.25mm 6x metalica
LUPA MINI C/S	lupa mini c/soporte 10mm metalica
LUPA VINCHA	Vincha con lupa fullenergy 1:2.2x 1+2:3.3x
LUR13633	LED 10mm HIGH EFF. RED
LUY13633	LED 10mm YELLOW
LVG9553SMD	LED SMD VERDE SUPER BRIGHT
LVIR3331	5.0mm DIODO EMISOR INFRARROJO
LVIR33335D	5.0mm DIODO EMISOR INFRARROJO 0.8MW
LY2040 3D	LED Y 3mm AMARILLO DIFUSO P/25mm
LY3330 5D	LED Y 5mm AMARILLO DIFUSO P/25mm
LY5120 2X5	LED 2x5mm RECTANGULAR AMARILLO DIFUSO
M 24LC16B/P DIP8	EEPROM I2C 2Kx8
M 24LC256/IP	EEPROM I2C 32Kx8
M 24LC256-I/SM	EEPROM I2C 32Kx8
M 24LC512-I/P	EEPROM I2C 64Kx8
M 24LC512-I/SM	EEPROM I2C 64Kx8
M 25LC160A-I/P	EEPROM SPI 2Kx8 PAG16
M 25LC320-I/P	EEPROM SPI 4Kx8 PAG32
M 93LC46B-I/MS	EEPROM MICROWIRE 64x16
M0.18X1W 5%	Resist. R. 0.18Ohm* 1W METAL FILM 5%
M1.2KX1/4W	Resist. 1.2K OHM 1/4W 1% METAL FILM
M1.3MX1/8W	Resist. 1.3M OHM 1/8W 1% METAL FILM
M1.5K X1W 5%	Resist. R. 1.5K* 1W METAL FILM 5%
M1.5KX1/4W	Resist. 1.5K OHM 1/4W 1% METAL FILM
M1.7KX1/8W	Resist. 1.7K OHM 1/8W 1% METAL FILM

M100KX1/4W	Resist. 100K OHM 1/4W 1% METAL FILM
M100KX1/8W	Resist. 100K OHM 1/8W 1% METAL FILM
M100X1/4W	Resist. 100 OHM 1/4W 1% METAL FILM
M100X1W 5%	Resist. R. 100 Ohm* 1W METAL FILM 5%
M10KX1/4W	Resist. 10K OHM 1/4W 1% METAL FILM
M10X1/4W	Resist. 10 OHM 1/4W 1% METAL FILM
M120KX1/4W	Resist. 120K OHM 1/4W 1% METAL FILM
M120X1/4W	Resist. 120 OHM 1/4W 1% METAL FILM
M120X1W 5%	Resist. R. 120 Ohm* 1W METAL FILM 5%
M147X1/4W	Resist. 147 OHM 1/4W 1% METAL FILM
M15 X1W 5%	Resist. R. 15 Ohm* 1W METAL FILM 5%
M150KX1/8W	Resist. 150K OHM 1/8W 1% METAL FILM
M150X1/4W 1%	Resist. 150 Ohm 1/4W CARBON 1%
M16KX1/4W	Resist. 16K OHM 1/4W 1% METAL FILM
M1KX1/8W	Resist. 1K OHM 1/8W 1% METAL FILM
M1MX1/4W	Resist. 1M OHM 1/4W 1% METAL FILM
M2.2KX1/4W	Resist. 2.2K OHM 1/4W 1% METAL FILM
M200X1/4W	Resist. 200 OHM 1/4W 1% METAL FILM
M20KX1/4W 1%	Resist. 20K OHM 1/4W 1% METAL FILM
M20KX1/8W	Resist. 20K OHM 1/8W 1% METAL FILM
M220KX1/4W	Resist. 220K OHM 1/4W 1% METAL FILM
M220KX1/8W	Resist. 220K OHM 1/8W 1% METAL FILM
M220X1/4W	Resist. 220 OHM 1/4W 1% METAL FILM
M22KX1/4W	Resist. 22K OHM 1/4W 1% METAL FILM
M22X1/2W 1%	Resist. R.22 Ohm 1/2W 1% METAL FILM
M22X1/4W	Resist. 22 OHM 1/4W 1% METAL FILM
M240X1/4W	resis. 240 Ohm 1/4W 1% METAL FILM
M24LC04B-I/SN TR	EEPROM I2C 512x8
M270KX1/4	Resist. 270K OHM 1/4W 1% METAL FILM
M3.0KX1/4W	Resist. 3.0K OHM 1/4W 1% METAL FILM
M3.3KX1/4W	Resist. 3.3K OHM 1/4W 1% METAL FILM
M3.3KX1W 5%	Resist. R. 3K3* 1W METAL FILM 5%
M300KX1/4W	Resist. 300K OHM 1/4W 1% METAL FILM
M330X1/4W	Resist. 330 OHM 1/4W 1% METAL FILM
M33X1/4W	Resist. 33 OHM 1/4W 1% METAL FILM
M33X2W 5%	Resist. R. 33*2W METAL FILM
M39KX1/4W	Resist. 39K OHM 1/4W 1% METAL FILM
M39X2W 5%	Resist. R. 39*2W METAL FILM
M3KX1/8W	Resist. 3K OHM 1/8W 1% METAL FILM
M4.7KX1/4W	Resist. 4.7K OHM 1/4W 1% METAL FILM
M4.7X1W 5%	Resist. R. 4.7Ohm* 1W METAL FILM 5%
M4.7X2W 5%	Resist. R. 4.7*2W METAL FILM
M470X1/4W	Resist. 470 OHM 1/4W 1% METAL FILM
M47KX1/4W	Resist. 47K OHM 1/4W 1% METAL FILM
M47X1/2W	Resist. 47 OHM 1/2W 1% METAL FILM
M47X1/4W	Resist. 47 OHM 1/4W 1% METAL FILM
M5.1KX1/4W 1%	Resist. 5.1k OHM 1/4W 1% METAL FILM
M5.6KX1/4W	Resist. 5.6K OHM 1/4W 1% METAL FILM
M510X1/8W	Resist. 510 OHM 1/8W 1% METAL FILM
M560X1/4W	Resist. 560 OHM 1/4W 1% METAL FILM
M5KX1/4W 1%	Resist. 5K OHM 1/4W 1% METAL FILM
M62KX1/8W	Resist. 62K OHM 1/8W 1% METAL FILM
M62X1/8W	Resist. 62 OHM 1/8W 1% METAL FILM
M63KX1/4W	Resist. 63K OHM 1/4W 1% METAL FILM
M68KX1/8W	Resist. 68K OHM 1/8W 1% METAL FILM
M750KX1/4W	Resist. 750K OHM 1/4W 1% METAL FILM

M750X1/8W	Resist. 750 OHM 1/8W 1% METAL FILM
M75KX1/8W	Resist. 75K OHM 1/8W 1% METAL FILM
M8.2KX1/4W	Resist. 8.2K OHM 1/4W 1% METAL FILM
M82 X1W 5%	Resist. R. 82 Ohm* 1W METAL FILM 5%
M820X1/4W	Resist. 820 OHM 1/4W 1% METAL FILM
M82KX1/4W	Resist. 82K OHM 1/4W 1% METAL FILM
MALLA DESOLDANTE	malla desoldante 3.5mm x 1.5m
MARTILLO GOMA	Martillo de goma
MC14066BCPGOS ON	CUADRUPLE LLAVE ANALOGICA LEAD FREE
MC14553BCP MOT	CONTADOR BCD 3-DIGITOS.
MCP1525-I/TO	VOLTAGE REFERENCE 50PPM, 2.5V
MCP1541-I/TO	VOLTAGE REFERENCE 50PPM, 4.096V
MCP1541-I/TT	VOLTAGE REFERENCE 50PPM 4.096V SOT23
MCP2120-I/P	INFRARED ENCODER/DECODER
MCP2510-I/P	STAND-ALONE CAN CONTROLLER, I TEMP
MCP2551-I/P	HIGH SPEED CAN TRANSCEIVER
MCP2551-I/SN	HIGH SPEED CAN TRANSCEIVER SMD
MCP3202-CI/P	ADC 12-BIT SPI DUAL-CANAL
MCP3204-CI/P	ADC 12-BIT SPI 4 CANALES
MCP3208-CI/P	ADC 12-BIT SPI 8 CANALES
MCP41010-I/P	SINGLE DIGITAL POTENTIOMETERS 10K OHM
MCP6002-I/SN	IC OPAMP 1.8V 1MHZ DUAL
MCP604-I/P	CUADRUPLE OPERACIONAL 2.7V
MCP6S28-I/P	8-Chan. 12 MHz SPI PGA
MCR100-6	SCR 0.8AMP. 400V
MD-05	REED RELAY NA -5V-1A-470 OHMS
MD-12	REED RELAY NA -12V-1A-1K OHMS
MF-R050-0-99	POLY SWITCH 500MA
MF-R090-0-99 LF	POLY SWITCH 900MA
MF-R135-0-99	POLY SWITCH 1.35A
MF-R160	POLY SWITCH 1.60A
MF-R500	POLY SWITCH 5A
MH03B	PORTA LED 3mm
MH05B	PORTA LED 5mm
MH-06TA	ZOCALO P/C.I. 2 * 3
MH-08TA	ZOCALO P/C.I. 2 * 4
MH140180	T.POSTES - 1 FILA 40 POSIC
MH140180L 27MM	TIRA POSTES RECTOS - 1 FILA 40 POS. 27mm
MH140180M	TIRA POSTES RECTOS - 1 FILA 40 POS. 1" M
MH14090	TIRA POSTES 90 GRADOS - 1 FILA 40 POSIC.
MH-14TA	ZOCALO P/C.I. 2 * 7
MH-16TA	ZOCALO P/C.I. 2 * 8
MH-18TA	ZOCALO P/C.I. 2 * 9
MH-20TA	ZOCALO P/C.I. 2 * 10
MH240180	TIRA POSTES RECTOS - DOBLE FILA (2*40)
MH240180L	TIRA POSTES RECTOS - DOBLE FILA (2*40)L
MH24090	TIRA POSTES 90 GRADOS -DOBLE FILA (2*40)
MH-24TA	ZOCALO P/C.I. 2 * 12
MH-28TA	ZOCALO P/C.I. 2 * 14
MH-32TA	ZOCALO P/C.I. 2 * 16
MH-40S	ZOCALO P/C.I. 2 * 20
MH-40TA	ZOCALO P/C.I. 2 * 20
MH-42S	ZOCALO P/C.I. 2 * 21
MHPLCC28T	ZOCALO PLCC 28 POSICIONES
MHPLCC32T	ZOCALO PLCC 32 POSICIONES 7*9
MHPLCC44T	ZOCALO PLCC 44 POSICIONES

MHPLCC68T	ZOCALO PLCC 68 POSICIONES
MHPLCC84T	ZOCALO PLCC 84 POSICIONES
MHS-28TA	ZOCALO P/C.I. 2 * 14
MIC29204YM LF	400mA LOW-DROPOUT REGULATOR
MIC29302WU LF	3A LOW-DROPOUT REGULATOR PbFree
MJA PHOSPHOR	MINIJUMPER CERRADO
MJB-LF PHOSPHOR	MINIJUMPER ABIERTO
MJE13007	NPN TR. 5A/400V/80W TO-220
MJL-LF BRONZE	MINIJUMPER ABIERTO L.
MK-211/N-G	PANEL TIPO SW. 3P ON-OFF 15A250VAC
MK-211/N-O	PANEL TIPO SW. 3P ON-OFF 15A250VAC
MK-521/N-RG	PANEL TIPO SW. 6P ON-OFF 15A250VAC
ML.1UF100L	CAP.MULTICAPA .1uF * 100V
ML.1UF-L Y5V M	CAP.MULTICAPA .1uF * 50V
ML.1UF-S P=2.5MM	CAP.MULTICAPA .1uF * 50V
ML.1UFS100	CAP.MULTICAPA .1uF * 100V
ML.22UF-L	CAP.MULTICAPA .22uF * 50V
ML.33UF-L	CAP.MULTICAPA .33uF * 50V
ML.47UF-L Y5V M	CAP.MULTICAPA .47uF * 50V
ML.47UF-S	CAP.MULTICAPA .47uF * 50V
ML10NF-L X7R K	CAP.MULTICAPA .01uF * 50V
ML15PF-L	CAP.MULTICAPA 15pF * 50V
ML1NF-S X7R K	CAP.MULTICAPA 1nF * 50V
ML2.2NF-L	CAP.MULTICAPA 2.2nF * 50V
ML2.2PF 1206	CAP. MULTICAPA 2.2pF x 10V 80% SMD
ML22NF-L	CAP.MULTICAPA .022uF * 50V
ML470PF-L	CAP.MULTICAPA 470pF * 50V
ML47PF-S	CAP.MULTICAPA 47pF * 50V
ML680PF-L	CAP.MULTICAPA 680pF * 50V
MLPA3	Modulo de led piraña x3 azul
MLPB3	Modulo de led piraña x3 Blanco Frío
MLPB3C	Modulo de led piraña x3 blanco cálido
MLPR3	Modulo de led piraña rojo x3
MLPV3	Modulo de led piraña verde x3
MLPY3	Modulo de led piraña amarillo x3
MM4051-0802 MYLA	PARLANTE 40D 5.1H 16B 8 OHM FO=350HZ
MMBT3906LT	SOT23 PNP TRANSISTOR 0.2W
MOC3020M FSC	OPTOACOPLADOR - TRIAC DRIVER
MOC3021M FSC	OPTO-AISLADORES - TRIAC DRIVER OUTPUT
MOC3041M FSC	OPTO-AISLADORES - TRIAC DRIVER OUTPUT
MOC3052M FSC	OPTOACOPLADOR - TRIAC DRIVER
MORDAZA RPZA33D1	mordaza p/crimpeadora CP-372
MORDAZA RPZA33D5	Mordaza p/crimpeadora CP-372
MORDAZA RPZA33D6	Mordaza p/crimpeadora CP-372
MOS10X5W	RESIST. 10 Ohm 5W METAL OXIDO FILM
MPSA43	NPN 200V/0.5A/0.6W - USOS GENERALES
MPSA92 NS	PNP 300V/0.5A/0.6W - USOS GENERALES
MPSH10G LF ON	TRANSISTOR NPN 25V/0.35W/650MH
MS-103	MICRO SWITCH S/ACTUADOR (=LF101 W/O LEG)
MS-104-A	MICRO SWITCH C/ACTUADOR 16.5mm (=LF101)
MT-202GD	LED 3mm VERDE DIFUSO P/12.5mm
MT-202HD	LED 3mm ROJO P/12.5mm
MT-202HD/TR1	LED 3mm ROJO
MT-202YD	LED Y 3mm AMARILLO
MT-204GD	LED Y 3mm VERDE DIFUSO P/25mm
MT-204HD	LED Y 3mm ROJO DIFUSO P/25mm

MT-204VGD	3mm ROUND LED VERDE DIFUSO
MT-204YD	LED Ý 3mm AMARILLO DIFUSO P/25mm
MT224PUGC/W20/U1	3mm ROUND VERDE DIFUSO 3000-4000mcd
MT-224UB	LED 3mm ultra brillo azul transp. 1400mcd 3.5v
MT224UBC/W20/470	3mm Round AZUL CLARO 1300-1600mcd 470nm
MT224UWC/E	LED Ý 3mm WATER CLEAR ULTRA WHITE
MT224UWC/W20A4A5	LED Ý 3mm WATER CLEAR ULTRA WHITE
MT-224UYC	3mm ROUND AMARILLO CLARO
MT-224YGUC/W20	LED 3mm VERDE 569-572nm, 1000-1400Mcd
MT234UBC/W90/465	LED 2x3mm RECTANGULAR AZUL CLARO 465nm
MT-264SRD	LED 3mm ROJO DIFUSO P/25mm 30-50Mcd
MT-332HD 5D	LED Ý 5mm ROJO DIFUSO P/12.5mm
MT-333HD	LED 5mm ROJO DIFUSO P/25mm
MT-333SRC	LED 5mm ROJO WATER CLEAR ALTO BRILLO
MT-333SRC/W20	LED 5mm ROJO WATER CLEAR ALTO BRILLO
MT-333SRD	LED Ý 5mm ROJO DIFFUSED ALTO BRILLO
MT-333UBC/W20/A7	LED 5MM AZUL 3000-4000mcd
MT333UBCW155B5A7	LED 5MM AZUL 3000-4000mcd
MT333UBCW20U02	LED 5MM BLUE 4000-5000mcd
MT-333URDW60/3A5	LED Ý 5mm ROJO DIFFUSED 50 mcd
MT-333UWC/E	LED Ý 5mm WATER CLEAR ULTRA WHITE
MT333UWCW20U4C31	LED 5mm WHITE W.CLEAR 7000-10000mcd C3-1
MT-333UYC/U1	LED 5mm AMARILLO 3000-4000mcd 595nm
MT-333VGC	LED 5mm SUPER VERDE CLARO
MT333YGUC/W20-A4	LED 5mm VERDE 569-572nm, 1000-1400Mcd
MT453UWCW120C3-1	LED 5mm WHITE 500-700mcd C3-1
MT453UWCW120C3-4	LED 5mm WHITE 500-700mcd C3-4
MT553UBC/W30/A10	LED BLUE 5mm OVAL, W.CLEAR 3000-4000mcd
MT553URC/W30/A10	LED RED 5mm OVAL, W.CLEAR 3000-4000mcd
MTS-102	LLAVE SW. 3P ON-ON (SPDT) 250V 3A
MTS-203 BACKLIGH	LLAVE MINIATURA SW. 6P ON-OFF-ON 125V5A
MURS320T3	DIODE ULTRA FAST 3A 200V SMC
MYL-00000L	LUBRIMATIC 130 GR
MYL-0000AA	AISLANTE ACRILICO ENV. 60 CC
MYL-0000GS	GRASA SILICONADA JERINGA 10CC
MYL-0000LF	LOCALIZADOR DE FALLAS 160 GR
MYL-0000PH	COMPITT PROPHYL 315 GR
MYL-000ADZ	COMPITT ANTIDESLIZANTE 170 GR
MYL-000CFX	CONTACTFLUX 120 GR
MYL-000CL1	CLOURURO FERRICO ENV. 250 CC
MYL-000CL3	CLOURURO FERRICO ENV. 1000 CC
MYL-000CLS	COMPITT LUBE SECO 120GR
MYL-000CSV	CONTACTMATIC SUPER L/V 225GR
MYL-000GEL	CONTACTFLUX GEL, JERINGA X 10 CC
MYL-000GRA	PINTURA DE GRAFITO ENVASE 5 CC
MYL-000LFG	LOCALIZADOR DE FALLAS 400GR
MYL-000ORG	COMPITT OR 450 GR
MYL-000PHA	COMPITT PROPHYL 315 G. CON GATILLO
MYL-000RFX	removedor de flux 180 grs
MYL-00CSGV	CONTACTMATIC SUPER L/V 450GR
MYL-00DECA	DECAPANTE 5CC (P/SOLDAD.CON ESTAÑO)
MYL-00DEHU	DESPLAZANTE DE HUMEDAD 275 GR
MYL-00GELP	GEL PROTECTOR DE CONECTORES, JERINGA 10CC
MYL-00ORGA	COMPITT OR 450 G. CON GATILLO
MYL-00PHXL	ALCOHOL ISOPROPILICO X L
MYL-00PLCH	pintura conductor (plata) 6gr

MYL-00TUBO	TUBO PROLONGADOR PARA COMPITT OR
MYL-FOAMSG	COMPITT FOAM SECO 370G
MYMS23SC4442-M3	SMART CARD 256E PROT.WR PIN FFFFFF
NE556 SOP VAR ST	DOBLE TIMER (en varilla)
NE556N DIP14 ST	DOBLE TIMER
NH1302N	BINDING POST 4mm NEGRO
NH1302R	BINDING POST 4mm ROJO
NH555	RCA A JACK TELEF RCA
NP10X63 KOS	10uF*63V RADIAL NP
NPK1X50V KRB	1 uF * 50 V RADIAL BIPOLAR
OARW112D	RELAY 12V 15A W/O COVER
OP07CP DIP6 TI	AMP/OPERAC BAJO OFFSET-BAJA DERIVA
OQ0254510091G	CONECTOR OQ PITCH 5.08mm 2 PINOS 90 GRAU
OQ0270500000G	T. BLOCK P5.0mm 2pins Verde Vertical
OQ0270510000G	T. BLOCK P5.0mm 2pins Verde Straight
OQ0354510091G	T.BLOCK PLUGGABLE 3CON P5.08mm(CSW)(90)
OQ0370500000G	T. BLOCK P5.0mm 3pins Open Verde Vert
OQ0470500000G	T. BLOCK P5.0mm 4pins Open Verde Vert
OQ0470510000G	T. BLOCK P5.0mm 4pins Open Verde 90
OQ0554510091G	T.BLOCK PLUGGABLE 5CON P5.08mm(CSW)(90)
OQ0670500000G	T. BLOCK P5.0mm 6pins Open Verde Vert
OQ0670510000G	T. BLOCK P5.0mm 6pins Open Verde 90
OQ0870510000G	T. BLOCK P5.0mm 8pins Open Verde 90
OST-23F	RECEPTOR INFRARROJO
OST23G OPT	RECEPTOR INFRARROJO
P. AMPEROMETRICA	Pinza voltamperometrica fullenergy m266
P-038	Perilla de plástico p/eje
P1.5KE150	TRANSIENT VOLTAGE SUPPRESSORS DIODE 150V
P1.5KE47CA	TRANSIENT VOLTAGE SUPPRESSORS DIODE 47V
P2-0SRB	PULSADOR NO LOCK BOTON ROJO, SUJECION NEGRO
P2-0SYB	PULSADOR NO LOCK BOTON ARMARILLO, SUJECION NEGRO
P21SRBE	PANEL TIPO PULSADOR SW. C/LED VERDE
P2-1SRG-R	PANEL TIPO PULSADOR SW. C/LED ROJO
P600M/6A10	6A/1000V - RECTIFICADOR
PASTA P/SOLDAR.	pasta para soldar 50g contenedor metalico
PB-035-6103	Pulsador mini normal abierto c/plast.verde
PB-035-6116	Pulsador mini normal cerrado c/metal amarillo
PB-05-8FKR	LLAVE PUSH ON
PB-11C02 W/N	PULSADOR NORMAL ABIERTO
PBS-22H03	PULSADOR SWITCH 2P2T LOCK
PBS-26B	PULSADOR ON SWITCH (NEGRO) NA
PBS-42H03-4P2T	PULSADOR SWITCH 4P2T W/LOCK
PC1602LRS-LWA-B	LCD 16X2 STN/+ LED B/L BIG TRNSF 6:00
PC817	OPTO-AISLADOR
PC817B LF	OPTOACOPLADOR
PE1271415S	ELEMENTOS TERMICOS PELTIER SELLADOS
PEGAMENTO P/PIS GR	pegamento para pistola grande
PERTINAX 15X20	Pertinax 15 x 20 cm.
PERTINAX 5X5	Pertinax 5 x 5 cm.
PF31E10R+L	TAPA DE LLAVE GRANDE R+L
PF52E10R+L	TAPA DE LLAVE CHICA R+L
PG24064FRM-ETA-I	LCD 240*64 STN/CCFL B/L TRNSM. E.TEMP 6
PG24064LRS-ETA5V	LCD 240*64 STN/+LED B/L TRNSF12:00 T6963
PIC12C508A-04/P	MCU 512P 25R 6I/O IOSC 4M OTP
PIC12C508A-04/SM	MCU 512P 25R 6I/O IOSC 4M OTP
PIC12C509AJW	MCU 1KUV 41R 6I/O IOSC WIN



PIC12C509A-04/P	MCU 1KP 41R 6I/O IOSC 4M OTP
PIC12CE519-04/P	MCU 1KP 41R 16E 6I/O IOSC 4M OTP
PIC12F629-I/P	MCU 1KF 64R 128R 6I/O CMP IOSC
PIC12F629-I/SN	MCU 1KF 64R 128R 6I/O CMP IOSC
PIC12F635-I/SN	MCU 1KF 64R 128E 6I/O CMP IOSC
PIC12F675-I/P	MCU 1KF 64R 128R 6I/O ADC10 CMP IOSC
PIC12F675-I/SN	MCU 1KF 64R 128R 6I/O ADC10 CMP IOSC
PIC12F683-I/P	MCU 2KF 128R 256E 6I/O ADC10 CMP IOSC
PIC16C54C-04/P	MCU 512P 25R 12I/O 4M OTP
PIC16C55-XT/SO	MCU 512P 24R 20I/O XTAL
PIC16C57C-04/P	MCU 2KP 72R 20I/O 4M OTP
PIC16C621A-04/P	MCU 1KP 96R 13I/O CMP 4M OTP
PIC16C63A-04/SP	MCU 4KP 192R 22I/O 4M OTP
PIC16F627A-I/P	MCU 1KF 224R 128E 16I/O CMP IOSC
PIC16F628-04/SO	MCU 2KF 224R 128E 16I/O CMP IOSC 4M
PIC16F628A-I/P	MCU 2KF 224R 128E 16I/O CMP IOSC
PIC16F628A-I/SO	MCU 2KF 224R 128E 16I/O CMP IOSC
PIC16F628AT-I/SO	MCU 2KF 224R 128E 16I/O CMP IOSC
PIC16F630-I/P	MCU 1KF 64R 128E 12I/O CMP IOSC
PIC16F648A-I/P	MCU 4KF 256R 256E 16I/O CMP
PIC16F676-I/P	MCU 1KF 64R 128E 12I/O CMP ADC10
PIC16F684-I/P	MCU 2KF 128R 256E 12I/O ADC10 CMP IOSC
PIC16F685-I/SO	MCU 4KF 256R 256E 18I/O ADC10 CMP IOSC
PIC16F72-I/SP	MICRO CTRL 28LD 2KF 128R 22I/O ADC8
PIC16F74-I/P	MCU 4KF 192R 33I/O ADC8
PIC16F76-I/SP	MCU 8KF 368R 22I/O ADC8
PIC16F818-I/P	MCU 1KF 128R 128E 16I/O ADC10 IOSC
PIC16F818-I/SO	MCU 1KF 128R 128E 16I/O ADC10 IOSC
PIC16F819-I/P	MCU 2KF 128R 128E 16I/O ADC10 IOSC
PIC16F819-I/SO	MCU 2KF 128R 128E 16I/O ADC10 IOSC
PIC16F84A-04/P	MCU 1KF 68R 64E 13I/O 4M
PIC16F870-I/SO	MCU 2KF 128R 64E 22I/O ADC10
PIC16F870-I/SP	MCU 2KF 128R 64E 22I/O ADC10
PIC16F873A-I/SO	MCU 4KF 192R 128E 22I/O ADC10 CMP
PIC16F873A-I/SP	MCU 4KF 192R 128E 22I/O ADC10 CMP
PIC16F874A-I/P	MCU 4KF 192R 128E 33I/O ADC10 CMP
PIC16F876-04/SO	MCU 8KF 368R 256E 22I/O ADC10 4M
PIC16F876-04/SP	MCU 8KF 368R 256E 22I/O ADC10 4M
PIC16F876A-I/SO	MCU 8KF 368R 256E 22I/O ADC10 CMP
PIC16F876A-I/SP	MCU 8KF 368R 256E 22I/O ADC10 CMP
PIC16F877-20/P	MCU 8KF 368R 256E 33I/O ADC10 20M
PIC16F877A-I/P	MCU 8KF 368R 256E 33I/O ADC10 CMP
PIC16F877AT-I/PT	MCU 8KF 368R 256E 33I/O ADC10 CMP
PIC16F883-I/SP	MCU 4KF 256R 256E 25I/O ADC11
PIC16F886-I/SO	MCU 8KF 368R 256E 25I/O ADC11 CMP IOSC
PIC16F887-I/P	MCU 8KF 368R 256E 36I/O ADC14
PIC16F887-I/PT	MCU 8KF 368R 256E 36I/O ADC14
PIC16F88-I/P	MCU 4KF 368R 256E 16I/O ADC10 CMP IOSC
PIC16F88-I/SO	MCU 4KF 368R 256E 16I/O ADC10 CMP IOSC
PIC18F1330-I/P	MCU 4KF 256R 128E 16I/O ADC10 CMP IOSC
PIC18F2331-I/SP	MCU 4KF 768R 256E 24I/O ADC10 IOSC
PIC18F242-I/SP	MCU 8KF 768R 256E 23I/O ADC10
PIC18F2515-I/SO	MCU 24KF 3.8KR 25I/O ADC10 CMP IOSC
PIC18F252-I/SP	MCU 16KF 1.5KR 256E 23I/O ADC10
PIC18F2550-I/SP	MCU 16KF 2KR 256E 24I/O ADC10
PIC18F4520-I/P	MCU 16KF 1.5KR 256E 36I/O ADC10 CMP IOSC

PIC18F4520-I/PT	MCU 16KF 1.5KR 256E 36I/O ADC10 CMP IOSC
PIC18F452-I/L	MCU 16KF 1.5KR 256E 34I/O ADC10
PIC18F452-I/P	MCU 16KF 1.5KR 256E 34I/O ADC10
PIC18F4550-I/P	MCU 16KF 2KR 256E 34I/O ADC10 CMP USB
PIC18F4620-I/P	MCU 32KF 3.8KR 1KE 36I/O ADC10 CMP IOSC
PIC18F6621-I/PT	MCU 32KF 3.7KR 1KE 53I/O ADC10 CMP
PIC18F67J10-I/PT	MCU 64KF 3.8KR 1KE 50I/O ADC10 CMP 3V
PIC18LF2620-I/SO	MCU 32KF 3.7KR 25I/O ADC10 CMP IOSC WV
PINZA AMP.DIG.IZR266	Pinza amperométrica digital
PINZA AMP.DIG.IZR369	Pinza amperométrica digital
PINZA CRIM/RJ9-11	Pinza para crimpear corta pela rj9-11-12-45
PINZA FUERZA 6 165	Pinza de fuerza 6" 165mm
PINZA PELACABLE	Pinza pelacable-rango a pelar 0.2-6MM
PINZA PELACABLE 7-1	Pelacable 7 en 1
PINZA PUNTA L 5 125	Pinza de punta larga 5" 125mm
PINZA PUNTA L 6 165	Pinza de punta larga 6" 165mm
PIST. PLASTICO 80W	Pistola de pegar plastico 80w 240v
PLAQ FC-10	Placa de CI presencibilizada Positivo
PLAQ FC-20	Placa de CI presencibilizada Positivo
PLAQ VC-10	Placa de CI presencibilizada -exposi Positivo
PLAQ. FR2 S/F 173	Plaqueta exp. FR2 S/F 100x100mm
PLAQ. FR2 S/F 174	Plaqueta exp. FR2 S/F 100x150mm
PLAQ. FR2 S/F 175	Plaqueta exp. FR2 S/F 150x200
PLAQ. FR2 S/F 176	Plaqueta exp. FR2 S/F 200x200mm
PLAQ. FR2 S/F 177	Plaqueta exp. FR2 S/F 300x300mm
PLAQ. FR4 S/F 178	Plaqueta exp. FR4 S/F 50x50mm
PLAQ. FR4 S/F 179	Plaqueta exp. FR4 S/F 50x100mm
PLAQ. FR4 S/F 180	Plaqueta exp. FR4 S/F 100x100mm
PLAQ. FR4 S/F 181	Plaqueta exp. FR4 S/F 100x150mm
PLAQ. FR4 S/F 182	Plaqueta exp. FR4 S/F 150x200mm
PLAQ. FR4 S/F 183	Plaqueta exp. FR4 S/F 200x200mm
PLAQ. FR4 S/F 184	Plaqueta exp. FR4 S/F 300x300mm
PLAQ. MOD. CIAM1	Plaqueta exp. mod.ciam1:islas de 5x5 cm.
PLAQ. MOD. CIAM3	Plaqueta exp. mod.ciam3:paso integrado 5x10 cm.
PLAQ. MOD. CIAM4	Plaqueta exp. mod.ciam4:paso integrado 5x5 cm.
PLAQ. MOD. P5	Plaqueta exp. mod.p5:paso integrado 10x10 cm.
PLAQ. PROT P-1	Plaqueta exp. tipo protoboard (p-1)
PMBT4403	PNP SWITCHING 600mA 40V 250mW
PO.1UF J	0.1uF*100V POLIESTER-RADIAL
PO0.0033	0.0033uF*100V POLIESTER-RADIAL
PO0.0047 J	0.0047uF*100V POLIESTER-RADIAL
PO0.010 J	0.01uF*100V POLIESTER-RADIAL
PO0.012	0.012uF*100V POLIESTER-RADIAL
PO0.015 J	0.015uF*100V POLIESTER-RADIAL
PO0.022 J	0.022uF*100V POLIESTER-RADIAL
PO0.033 J GREEN	0.033uF*100V POLIESTER-RADIAL
PO0.047 J	0.047uF*100V POLIESTER-RADIAL
PO0.22UF J TAI	0.22uF*100V POLIESTER-RADIAL
PORTAPILA 2AA	Portapila x 2aa con clip de bateria grande
PORTAPILA 4AA CC	Portapila x 4aa con cable plano
PORTAPILA 4AA CC C	Portapila x 4aa con cable cuadrado
PORTAPILA 4AA LARGO	Portapila x 4aa largo impor
PORTAPILA CR2016	Portapila para cr 2016/cr2025/cr2032 2 piezas
PROB. MULTI.CAB.RED.	Probador multiple de cables de redes NT007
PROTOBOARD	bread board (placa prueba)
PROTOBOARD II	bread board (placa prueba)

PS-22E08L	LLAVE (PULS. CON RETENCION) DOBLE INV.
PS-22E08N	LLAVE (PULS. SIN RETENCION) DOBLE INV.
PS22F04	PULSADOR SWITCH 2P2T C/RET.
PS22F05	PULSADOR SWITCH 2P2T S/RET.
PS909L-22	PULSADOR SWITCH 2P2T C/RET.
PSDBT4-09GL	ZOCALO TARJETA SD
PT04-170740APR	PIEZO BUZZER SIN OSC. 16.8*7.2mm,p=10mm
PT-4175W	BUZZER/TELEPHONE RINGER 750Hz 87dB
PT908-7C BIN4&5	RECEPTOR INFRARROJO 1.5mm SIDE LOOKING
PTC3P	PTC 3 PATAS TV
PUNTA 025-1000	Punta para soldador 025-1004/1005/1018 standard
PUNTA 025-1003	Punta para soldador 025-1004/1005/1018 titanium
PUNTA 025-1012	Punta para soldador 025-1004/1005/1018 biselada
PUNTA 025-1025	Punta para soldador 025-1004/1005/1018 fina
PUNTA 025-1032	Punta para soldador 025-1019/1041 standard
PUNTA DES. CON CAL	Punta para desoldador con calefactor 40W
PUNTA DES. DE TEFLON	Punta para desoldador metalico chico de teflon
PUNTA P/SOLDADOR	Punta para soldador 025-1040 standard
PUNTA P/SOLDADOR CE	punta ceramica para soldar 4.8 x 70 40w
PUNTA P/SOLDADOR CE	punta ceramica para soldar 3.75 x 60 30w
PUNTA P/SOLDADOR GOO	Punta para soldador goot CE 40 W
PVC140/82	TANDEM AM/FM (=LF2220T2)
R0.33X5W	Resist. 0.33 Ohm 5W CERAMICA
R0.47X1W	Resist.0.47 Ohm 1W CARBON
R0.47X5W	Resist. 0.47 Ohm 5W CERAMICA
R0.5X1/4W	Resist. 0.50 Ohm 1/4 W CARBON
R-005-1 GRIS	RFID KEY TIPO LLAVERO 125KHz
R0X1/8W	Resist. 0 Ohm 1/6w (1/8w) CARBON
R1.0KX1/4W	Resist. 1 k Ohm 1/4W CARBON
R1.0X1W	Resist. 1.0 Ohm 1W CARBON
R1.2KX1/8W	Resist. 1.2K Ohm 1/6W (1/8W) CARBON
R1.2MX1/8W	Resist. 1.2M Ohm 1/6W (1/8W) CARBON
R1.2X1W	Resist. 1.0 Ohm 1W CARBON
R1.5KX1/2W	Resist. 1K5 Ohm 1/2W CARBON
R1.5KX1/4W	Resist. 1.5K Ohm 1/4W CARBON
R1.5KX1/8W	Resist. 1.5K Ohm 1/6W (1/8W) CARBON
R1.5MX1/4W	Resist. 1.5m Ohm 1/4W CARBON
R1.5MX1/8W	Resist. 1.5m Ohm 1/6W (1/8W) CARBON
R1.5X1/8W	Resist. 1.5 Ohm 1/6W (1/8W) CARBON
R1.8KX1/8W	Resist. 1.8K Ohm 1/6W (1/8W) CARBON
R1.8MX1/8W	Resist. 1.8M Ohm 1/6W (1/8W) CARBON
R1.8X1/4W	Resist. 1.8 Ohm 1/4W CARBON
R100KX1/4W	Resist. 100k Ohm 1/4W CARBON
R100KX1/8W	Resist. 100K Ohm 1/6W (1/8W) CARBON
R100KX10W CERAMICA	Resist. 100K Ohm 10W CERAMICA
R100KX2W	Resist. 100K Ohm 2W CARBON
R100X1/2W	Resist. 100 Ohm 1/2W CARBON
R100X1/4W	Resist. 100 Ohm 1/4W CARBON
R100X1/8W	Resist. 100 Ohm 1/6W (1/8W) CARBON
R100X5W	Resist. 100 Ohm 5W CERAMICA
R10KX1/4W	Resist. 10K Ohm 1/4W CARBON
R10KX1/8W	Resist. 10K Ohm 1/6W (1/8W) CARBON
R10KX10W CERAMICA	Resist. 10K Ohm 10W CERAMICA
R10KX5W CERAMICA	Resist. 10K Ohm 5W CERAMICA
R10KX6-7P	CHIP RESISTOR 10K OHM X 6
R10KX8-9P LIK	CHIP RESISTOR 10K OHM X 8

R10KX9-10P LIK	CHIP RESISTOR 10K OHM X 9
R10MX1/8W	Resist. 10M Ohm 1/6W (1/8W) CARBON
R10MX2W	Resist. 10M Ohm 2W CARBON
R10X1/4W	Resist. 10 Ohm 1/4W CARBON
R10X1/8W	Resist. 10 Ohm 1/6W (1/8W) CARBON
R10X10W CERAMICA	Resist. 10 Ohm 10W CERAMICA
R10X25W	Resist. 10 Ohm 25W CERAMICA
R10X2W	Resist. 10 Ohm 2W CARBON
R110X1/8W	Resist. 110 Ohm 1/6W (1/8W) CARBON
R120KX1/8W	Resist. 120K Ohm 1/6W (1/8W) CARBON
R120X1/8W	Resist. 120 Ohm 1/6W (1/8W) CARBON
R12KX1/8W	Resist. 12K Ohm 1/6W (1/8W) CARBON
R12X1/4W	Resist. 12 Ohm 1/4W CARBON
R131-12A-BBAT	ON-OFF SWITCH
R150KX1/8W	Resist. 150K Ohm 1/6W (1/8W) CARBON
R150X1/2W	Resist. 150 Ohm 1/2W CARBON
R150X1/4W	Resist. 150 Ohm 1/4W CARBON
R150X1/8W	Resist. 150 Ohm 1/6W (1/8W) CARBON
R150X1W	Resist. 150 Ohm 1W CARBON
R15KX1/8W	Resist. 15K Ohm 1/6W (1/8W) CARBON
R15KX2W	Resist. 15K Ohm 2W CARBON
R15X1/4W	Resist. 15 Ohm 1/4W CARBON
R15X1/8W	Resist. 15 Ohm 1/6W (1/8W) CARBON
R15X5W	Resist. 15 Ohm 5W CERAMICA
R180KX1/8W	Resist. 180K Ohm 1/6W (1/8W) CARBON
R180X1/8W	Resist. 180 Ohm 1/6W (1/8W) CARBON
R18KX1/4W	Resist. 18K Ohm 1/4W CARBON
R18KX1/8W	Resist. 18K Ohm 1/6W (1/8W) CARBON
R18X1/4W	Resist. 18 Ohm 1/4W CARBON
R18X1/8W	Resist. 18 Ohm 1/6W (1/8W) CARBON
R19A-52BBOT	PUSH SWITCH
R1KX1/4W	Resist. 1K Ohm 1/4W CARBON
R1KX1/8W	Resist. 1K Ohm 1/6W (1/8W) CARBON
R1KX10W CERAMICA	Resist. 1K Ohm 10W CERAMICA
R1KX4-5P LIK	CHIP RESISTOR 1K OHM X 4
R1KX5W CERAMICA	Rest. 1K Ohm 5W CERAMICA
R1KX8-9P LIK	CHIP RESISTOR 1K OHM X 8
R1MX1/8W	Resist. 1M Ohm 1/6W (1/8W) CARBON
R1X1/8W	Resist. 1 Ohm 1/6W (1/8W) CARBON
R2.0KX1/8W	Resist. 2K Ohm 1/6W (1/8W) CARBON
R2.2KX1/4W	Resist. 2.2K Ohm 1/4W CARBON
R2.2KX1/8W	Resist. 2.2K Ohm 1/6W (1/8W) CARBON
R2.2KX15W CERAMICA	Resist. 2k2 Ohm 15W CERAMICA
R2.2KX5W CERAMICA	Resist. 2.2K Ohm 5W CERAMICA
R2.2MX1/4W	Resist. 2.2M Ohm 1/4W CARBON
R2.2MX1/8W	Resist. 2.2M Ohm 1/6W (1/8W) CARBON
R2.2X1/8W	Resist. 2.2 Ohm 1/6W (1/8W) CARBON
R2.2X10W CERAMICA	Resist. 2.2 Ohm 10W CERAMICA
R2.2X1W	Resist. 2.2 Ohm 1W CARBON
R2.7KX1/4W	Resist. 2.7K Ohm 1/4W CARBON
R2.7KX1/8W	Resist. 2.7K Ohm 1/6W (1/8W) CARBON
R2.7MX1/8W	Resist. 2.7M Ohm 1/6W (1/8W) CARBON
R2.7X1/4W	Resist. 2.7 Ohm 1/4W CARBON
R220KX1/8W	Resist. 220K Ohm 1/6W (1/8W) CARBON
R220KX1W	Resist. 220K Ohm 1W CARBON
R220X1/4W	Resist. 220 Ohm 1/4W CARBON

R220X1/8W	Resist. 220 Ohm 1/6W (1/8W) CARBON
R220X10W CERAMICA	Resist. 220 Ohm 10W CERAMICA
R220X15W CERAMICA	Resist. 220 Ohm 15W CERAMICA
R220X1W	Resist. 220 Ohm 1W CARBON
R22KX1/4W	Resist. 22K Ohm 1/4W CARBON
R22KX1/8W	Resist. 22K Ohm 1/6W (1/8W) CARBON
R22KX5W CERAMICA	Resist. 22K Ohm 5W CERAMICA
R22X1/2W	Resist. 22 Ohm 1/2W CARBON
R22X1/4W	Resist. 22 Ohm 1/4W CARBON
R22X1/8W	Resist. 22 Ohm 1/6W (1/8W) CARBON
R22X10W	Resist. 22 Ohm 10W CERAMICA
R22X1W	Resist. 22 Ohm 1W CARBON
R22X25W	Resist. 22 Ohm 25W CERAMICA
R230TB	DESCARGADOR GASEOSO CERAMICO 230V 2.5KA
R250TA	DESCARGADOR GASEOSO CERAMICO 250V 5KA
R270KX1/8W	Resist. 270K Ohm 1/6W (1/8W) CARBON
R270X1/2W	Resist. 270 Ohm 1/2W CARBON
R270X1/4W	Resist. 270 Ohm 1/4W CARBON
R270X1/8W	Resist. 270 Ohm 1/6W (1/8W) CARBON
R270X2	Resist. 270 Ohm 2W CARBON
R27KX1/4W	Resist. 27K Ohm 1/4W CARBON
R27KX1/8W	Resist. 27K Ohm 1/6W (1/8W) CARBON
R27X1/8W	Resist. 27 Ohm 1/6W (1/8W) CARBON
R3.3KX1/2W	Resist. 3K3 Ohm 1/2W CARBON
R3.3KX1/8W	Resist. 3.3K Ohm 1/6W (1/8W) CARBON
R3.3KX15W CERAMICA	Resist. 3K3 Ohm 15W CERAMICA
R3.3MX1/8W	Resist. 3.3M Ohm 1/6W (1/8W) CARBON
R3.3X1/4W	Resist. 3.3 Ohm 1/4W CARBON
R3.9KX1/8W	Resist. 3.9K Ohm 1/6W (1/8W) CARBON
R3.9MX1/4W	Resist. 3.9M Ohm 1/4W CARBON
R3.9MX1/8W	Resist. 3.9M Ohm 1/6W (1/8W) CARBON
R300TB	DESCARGADOR GASEOSO CERAMICO 300V 2.5KA
R330KX1/8W	Resist. 330K Ohm 1/6W (1/8W) CARBON
R330KX15W CERAMICA	Resist. 330K Ohm 15W CERAMICA
R330X1/2W	Resist. 330 Ohm 1/2W CARBON
R330X1/4W	Resist. 330 Ohm 1/4W CARBON
R330X1/8W	Resist. 330 Ohm 1/6W (1/8W) CARBON
R33KX1/4W	Resist. 33K Ohm 1/4W CARBON
R33KX1/8W	Resist. 33K Ohm 1/6W (1/8W) CARBON
R33X1/4W	Resist. 33 Ohm 1/4W CARBON
R33X1/8W	Resist. 33 Ohm 1/6W (1/8W) CARBON
R33X2W	Resist. 33 Ohm 2W CARBON
R360KX1/4W	Resist. 360K Ohm 1/4W CARBON
R360KX1/8W	Resist. 360K Ohm 1/6W (1/8W) CARBON
R360X1/8W	Resist. 360 Ohm 1/6W (1/8W) CARBON
R390KX1/8W	Resist. 390K Ohm 1/6W (1/8W) CARBON
R390X1/2W	Resist. 390 Ohm 1/2W CARBON 5%
R390X1/8W	Resist. 390 Ohm 1/6W (1/8W) CARBON
R39KX1/8W	Resist. 39K Ohm 1/6W (1/8W) CARBON
R39KX5W	Resist. 39K Ohm 5W CERAMICA
R39X1/4W	Resist. 39 Ohm 1/4W CARBON
R39X1/8W	Resist. 39 Ohm 1/6W (1/8W) CARBON
R4.7KX1/4W	Resist. 4.7K Ohm 1/4W CARBON
R4.7KX1/8W	Resist. 4.7K Ohm 1/6W (1/8W) CARBON
R4.7KX1W	Resist. 4.7K Ohm 1W CARBON
R4.7MX1/8W	Resist. 4.7M Ohm 1/6W (1/8W) CARBON

R4.7X1/8W	Resist. 4.7 Ohm 1/6W (1/8W) CARBON
R4.7X15W CERAMICA	Resist. 4.7 Ohm 15W CERAMICA
R4.7X2W	Resist. 4.7 Ohm 2W CARBON
R400TB	DESCARGADOR GASEOSO CERAMICO 400V 2.5KA
R470KX1/4W	Resist. 470K Ohm 1/4W CARBON
R470KX1/8W	Resist. 470K Ohm 1/6W (1/8W) CARBON
R470X1/2W	Resist. 470 Ohm 1/2W CARBON 5%
R470X1/4W	Resist. 470 Ohm 1/4W CARBON
R470X1/8W	Resist. 470 Ohm 1/6W (1/8W) CARBON
R47KX1/4W	Resist. 47K Ohm 1/4W CARBON
R47KX1/8W	Resist. 47K Ohm 1/6W (1/8W) CARBON
R47KX15W CERAMICA	Resist. 47K Ohm 15W CERAMICA
R47X1/2W	Resist. 47 Ohm 1/2W CARBON
R47X1/4W	Resist. 47 Ohm 1/4W CARBON
R47X1/8W	Resist. 47 Ohm 1/6W (1/8W) CARBON
R47X1W	Resist.0.47 Ohm 1W CARBON
R47X2W	Resist. 47 Ohm 2W CARBON
R47X5W	Resist. 47 Ohm 5W CERAMICA
R4M7X1/2W	ReSIST. 4M7 Ohm 1/2W CARBON
R5.1KX1/8W	Resist. 5.1K Ohm 1/6W (1/8W) CARBON
R5.1X5W CERAMICA	Resist. 5.1 Ohm 5W CERAMICA
R5.6KX1/8W	Resist. 5.6K Ohm 1/6W (1/8W) CARBON
R5.6KX1W	Resist. 5.6K Ohm 1W CARBON
R5.6KX2W	Resist. 5.6K Ohm 2W CARBON
R5.6MX1/8W	Resist. 5.6M Ohm 1/6W (1/8W) CARBON
R5.6X1/4W	Resist. 5.6 Ohm 1/4W CARBON
R5.6X1/8W	Resist. 5.6 Ohm 1/6W (1/8W) CARBON
R5.8X5W CERAMICA	Resist. 5.8 Ohm 5W CERAMICA
R510X1/8W	Resist. 510 Ohm 1/6W (1/8W) CARBON
R560KX1/4W	Resist. 560K Ohm 1/4W CARBON
R560KX1/8W	Resist. 560K Ohm 1/6W (1/8W) CARBON
R560X1/4W	Resist. 560 Ohm 1/4W CARBON
R560X1/8W	Resist. 560 Ohm 1/6W (1/8W) CARBON
R560X1W	Resist. 560 Ohm 1W CARBON
R56KX1/4W	Resist. 56K Ohm 1/4w CARBON
R56KX1/8W	Resist. 56K Ohm 1/6W (1/8W) CARBON
R56KX2	Resist. 56K Ohm 2W CARBON
R56X1/4W	Resist. 56 Ohm 1/4W CARBON
R56X1W	Resist. 56 Ohm 1W CARBON
R6.8KX1/4W	resist. 6.8K Ohm 1/4W CARBON
R6.8KX1/8W	Resist. 6.8K Ohm 1/6W (1/8W) CARBON
R6.8MX1/8W	Resist. 6.8M Ohm 1/6W (1/8W) CARBON
R6.8X1/4W	Resist. 6.8 Ohm 1/4W CARBON
R600TB TS	DESCARGADOR GASEOSO CERAMICO 600V 2.5KA
R680KX1/8W	Resist. 680K Ohm 1/6W (1/8W) CARBON
R680X1/2W	Resist. 680 Ohm 1/2W CARBON
R680X1/4W	Resist. 680 Ohm 1/4W CARBON
R680X1/8W	Resist. 680 Ohm 1/6W (1/8W) CARBON
R68KX1/2W	Resist. 68K Ohm 1/2W CARBON
R68KX1/4W	Resist. 68K Ohm 1/4W CARBON
R68KX1/8W	Resist. 68K Ohm 1/6W (1/8W) CARBON
R68X1/2W	Resist. 68 Ohm 1/2W CARBON
R68X1/4W	Resist. 68 Ohm 1/4W CARBON
R68X1/8W	Resist. 68 Ohm 1/6W (1/8W) CARBON
R68X2W	Resist. 68 Ohm 2W CARBON
R750X1/8W	Resist. 750 Ohm 1/6W (1/8W) CARBON

R8.2KX1/4W	Resist. 8.2K Ohm 1/4W CARBON
R8.2KX1/8W	Resist. 8.2K Ohm 1/6W (1/8W) CARBON
R8.2MX1/4W	Resist. 8.2M Ohm 1/4W CARBON
R8.2MX1/8W	Resist. 8.2M Ohm 1/6W (1/8W) CARBON
R8.2X1/4W	Resist. 8.2 Ohm 1/4W CARBON
R8.2X1/8W	Resist. 8.2 Ohm 1/6W (1/8W) CARBON
R820KX1/8W	Resist. 820K Ohm 1/6W (1/8W) CARBON
R820X1/4W	Resist. 820 Ohm 1/4W CARBON
R820X1/8W	Resist. 820 Ohm 1/6W (1/8W) CARBON
R82KX1/8W	Resist. 82K Ohm 1/6W (1/8W) CARBON
R82X1/8W	Resist. 82 Ohm 1/6W (1/8W) CARBON
R82X5W	Resist. 82 Ohm 5W CERAMICA
R90TB	DESCARGADOR GASEOSO CERAMICO 90V 2.5KA
RABBIT LIBRO	DESARROLLO CON PROC. y MOD. RABBIT
RABBIT LIBRO II	EL CAMINO DEL CONEJO-GUIA PRACTICA
RAM-12	RELAY 12V 20A 1 FORM C 15.5*12.1*13.7mm
RAS0510	RELAY 05V 10A 1 FORM C
RAS1210 (AMARILLO)	RELAY 12V 10A 1 FORM C
RAS1210 BLACK	RELAY 12V 10A 1 FORM C
RAS1210 YELLOW	RELAY 12V 10A 1 FORM C
RAS1215	RELAY 12V 15A 1 FORM C
RAS2410	RELAY 24V 10A 1 FORM C
RB-13A-11L	ON-OFF-ON SWITCH
RB153 -200	PUENTE DIODOS 1.5A 200V
RE200-20E220F4B	20mm BINARY ROTARY ENCODER 16 POS VERT
RE200B	IR-DETECTOR PIROELECTRICO
RETS-1215	RELAY 12V 15A 1 FORM C
RETS-1215(ECONOMICO)	RELAY 12V 15A 1 FORM C
REVELADOR	Revelador p/placa
RL- H11WA1	LED HI-POWER 10mm BLANCO 1W 3.8lm HEXA
R-M3001-1	CAJA PLASTICA PARA LHRVG3393
RS-201-1B	PANEL TIPO SW. 4P ON-OFF 15A250VAC
RS393.27M-TO39	RES. 393.266MHz +/- 100KHz ONE PORT
RS406L	4A/1000V PUENTE RATIFICADOR
RS433.92M-SM-2	RES. 1-PORT, 433.920MHZ +/-75KHZ, SMT
RSV-1C-M-12H	RELAY 12V-40A-90OHMS
RTF-5010	PORTA LED 5mm
RTL8019AS	ETHERNET CHIP - 100 Pin PQFP (SMD)
RWS-371-1 (303)	RECEPTOR 303.825MHZ ASK 4800BPS -106dB
RWS-371-3 (315)	MODULO RECEPTOR 315MHZ
RWS-371-307	MODULO RECEPTOR 307 MHZ
RWS-371-5 (418)	MODULO RECEPTOR 418 MHZ
RWS-371-6(433.9)	MODULO RECEPTOR 433.9MHZ
RWS-374-5 (418)	MODULO RECEPTOR 418 MHZ, 3.23mA, -108dB
RWS-374-6(433.9)	MODULO RECEPTOR 433.9MHZ 3.23mA -108dB
RXI-1240	RELAY 12V-40A-1 INV-120 OHMS
S1091B-1	LLAVE /CONTACTO DE GIRO
S1091B-2	LLAVE /CONTACTO DE GIRO 2 POS.
S1096-1	LLAVE /CONTACTO DE GIRO 1 KEY-PULL
SA400-0-00	SINGLE ROW STRIP IC SOCKETS 40PINS
SAR12C1215	RELAY 12V 15A WITH COVER
SB320-0-10	SINGLE ROW STRIP ADAPTOR 32PINS
SCP607UNT100000G	FIC. RCA H CHAS N (JACK TELEF RCA CON NUT)
SD153BH	CAPSULA REC./TELEFONO
SD-38/150	CAPSULA REC./TELEFONO 150 OHM 96DB/SPL
SEP. PLA. 10.1X4.8	Separador de plaqueta 10.1mm diam. 4.8

SEP. PLA. 15.2X4.8	Separador de plaqueta 15.2mm diam. 4.8
SEP. PLA. 4.8X4.8	Separador de plaqueta 4.8mm diam. 4.8
SEP. PLA. 6.3X3.5	Separador de plaqueta 6.3mm diam. 3.5
SEP. REDONDO	Separador redondo para tornillo
SET 7PIEZAS RDES2065	Set de 7piezas p/celulares
SET DEST/16P	Set destornilladores de presiciòn x16
SET DEST/4P	Set destornillador 4P tipo torx
SHT71	Humidity(3.0%Rh),Temperature(0.4K)Sensor
SIM SOC.6PIN S-P	SIM SOCKET 6PIN TIPO SLIM PUSH 2 PAD
SIM SOCKET	SIM CARD SOCKET
SIM SOCKET 6PIN	SIM CARD SOCKET SMT 6PIN W/ POST
SIM300C EVB KIT	KIT DE DESARROLLO PARA SIM300C/340C
SIM340CZ 1604B02	MODULO MODEM 850/900/1800/1900
SIM340D GPRS/GSM	MODULO MODEM 850/900/1800/1900
SIM900 EVB KIT	KIT DE DESARROLLO SIM900
SK-12F23-EG5	SLIDE SWITCH 1P2T (90°)
SK-22D03-VG4	SIDE KNOB SLIDE SWITCH 2P2T MINI (90°)
SK-23D03-VG4	SIDE KNOB SLIDE SW. 2P3T (90°)
SK-B-125	CABLE C/ZOCALO PARA SCB-1-M1240
SL20V1B10K	SLIDE POTENTIOMETER SINGLE UNIT 10K OHM
SLE4442 M	S.CARD 256B EEPR.PROT.WRITE PIN FFFFFFF
SMA R/AJACKFEM U	JACK SMA HEMBRA 90 GRADOS
SMBJ-5.0A	5.0V SUPRESOR
SN4	PORTA BATERIA PARA BAT 9V. 150mm
SN74HC164DR TI	SHIFT REGISTER 8 BIT E/SERIE S/PARALELO
SN74HC244N TI	OCTAL LINE DRIVER TRI-STATE(NO INVERSOR)
SN74HC373N TI	OCTAL D LATCH TRI-STATE
SN74HC4066SMDPHI	QUAD BI-LATERAL ANALOG SWITCH
SN74HC74N TI	DOBLE FLIP FLOP "D" C/PRESET, CLEAR
SN74LS07N TI	HEX BUFFERS/DRIVERS
SN75176BDR TI	Differential Bus Transceiver (RS-485)
SN75176BP TI	Differential Bus Transceiver
SOLDADOR 20W-130W	soldador de 20w-130w fullenergy c/tapa c/pta ceram
SOLDADOR 40W P/CE	soldador de 40w fullenergy punta ceramica
SOLDADOR 40W P/CO	soldador 40w fullenergy punta común
SOLDADOR GOOT 40 WT	soldador Goot 40W pta ceramica
SOLDADOR GOOT 60 WT	soldador Goot 60W pta ceramica
SOPORTE P/SOLD.C/LUP	Soporte para soldar c/lupa CD1316
SOPORTE P/SOLDAR	Soporte p/sold.c/lupa,apoya soldador
SP3238EEA	INTELLIGENT +3V-+5.5V RS-232 TRANSCEIVER
SR2612-011215F	ROTARY SWITCH
SRA-1101 W/O/M	ON-OFF SWITCH SIN LEGENDA
SRA-1202-B	ON-ON SPDT SWITCH CON LEGENDA
SRA-1202ON-ON SS	ON-ON SPDT SWITCH SIN LEGENDA
SRA-1302 1P3T SS	ON-OFF-ON SWITCH SIN LEGENDA
SRA-1302-1P3T	ON-OFF-ON SWITCH I 0 II
SS-12D01-VG4	SLIDE SWITCH 1P2T MINI (180°)
SS-12F02-G5	SLIDE SWITCH 1P2T (180°)
SS-12F23-EG5	SLIDE SWITCH 1P2T (180°)
SS-12F44-EG4	SLIDE SWITCH (180°)
SS-22F07-G5	SLIDE SWITCH 2P2T (180°)
SS549AT HW SOT89	SWITCH DE EFECTO HALL
SS8050D	NPN 25V/1.5A/2W
ST ML.1UF-L/T	CAP.MULTICAPA .1uF * 50V Y5V 20%
ST.1X50T/B	CAP.CERAMICO 0.1 uF*50 V p=5.08mm T/Reel
ST0.001X50 P=5MM	CAP.CERAMICO 0.001 uF * 50V (ST)



ST0.01X50LT Y5PK	CAP.CERAMICO 0.01 uF * 50V Y5P 10% P5
ST0.01X50S Y5P K	CAP.CERAMICO 0.01uF*50V Y5P 10% P2.5
ST0.047X50	CAP.CERAMICO 0.047 uF * 50V-S (ST)
ST0.1*50LT Y5U M	CAP.CERAMICO 0.1uF*50V Y5U 20% P5mm
ST0.1X25 Y5V	CAP.CERAMICO 0.1 uF * 25V
ST100PX50S SL K	CAP.CERAMICO 100pF*50V SL 10% P2.5mm
ST22PX50LT SL K	CAP.CERAMICO 22pF*50V SL 10% P5.08mm
ST22PX50S SL K	CAP.CERAMICO 22pF*50V SL 10% P2.5mm
ST23G KOD	RECEPTOR INFRARROJO
ST3232ECDR SO16	15Kv ESD 3-5.5V 250KBPS RS232 DRV/RCVRS
ST33PX50-S	CAP.CERAMICO 33pF*50V-S (ST)
ST3507	3.5mm STEREO TYPE EARPHONE JACKS
ST39PX50-S	CAP.CERAMICO 39pF*50V-S (ST)
ST47PX50-S	CAP.CERAMICO 47pF*50V p=2.54mm
STML.01U-ST X7RK	CAP.MULTICAPA .01uF * 50V X7R 10% P2.5mm
STML22P-LT NPO J	CAP.MULTICAPA 22pF * 50V NPO 5% P5.0mm
STR40 100N	PAR DE SENSORES CERAMICO ULTRASONICO 10mm
SVR-5K-H	PRESET HORIZONTAL 5K
SWN-1003	LLAVE SW. 6P ON-ON (DPDT) 250V 3A
T1M5F600D LIT	Triac 1A RMS 600V
T2020150	T.BLOCK RISING CLAMP 2CON.PITCH5mm
T2030150	T.BLOCK RISING CLAMP 3CON.PITCH5mm
T8011-SKBQ	PULSADOR MINIATURA SW. 6P ON-ON 250V 3A
TC-00100(C)-01	MICRO SW. SOFT TOUCH 90DEG 8.35MM
TC00104A-00	MICRO SWITCH SOFT TOUCH 6*6*5.1mm
TC-020-062/NY66	BOR. 2 PINES 5MM "+/-" SLOT,BLUE,3.5MM
TC-020-062BB	BOR. 2 PINES 5MM "+/-" SLOT,BLUE,3.5MM
TC-020-161	BORNERAS 2 PINES 5MM "-" SLOT,BLUE,3.8MM
TC-030-062/NY66	BOR. 3 PINES 5MM "+/-" SLOT,BLUE,3.5MM
TC-030-062BB/PBT	BOR. 3 PINES 5MM "+/-" SLOT,BLUE,3.5MM
TC-030-161	BORNERAS 3 PINES 5MM "-" SLOT,BLUE,3.8MM
TC1047AVNB	HIGH PRECISION TEMP-TO-VOLTAGE CONVERTER
TCA355G SIEM	LLAVE DE PROXIMIDAD
TDA2004 ST	AMPLIFICADOR DE POTENCIA-20W EN 2 OHM
TDS1202960	RELAY 12V-2Amp-2C 200mW 20.5*10.1*11.5 Dob.Inv.
TDS2402D	RELAY 24V-2A-2 INV -1070 OHMS Dob.Inv.
TECLADO TEL	Teclado para Teléfono Gris
TERMOCONT 1.5 N	Termocontraible Diam. 1.5mm Negro (x metro)
TERMOCONT 10 N	Termocontraible Diam. 10mm Negro (x metro)
TERMOCONT 4 N	Termocontraible Diam. 4mm Negro (x metro)
TESTER ACC. I	Juego de puntas de tester c/ficha banana
TESTER ACC. II	Juego de puntas de tester comun
TESTER ANALOG.IZR168	Tester analog. supercompacto
TESTER ANALOG.IZR386	Tester analog. prof.c/buzzer
TESTER CAB.MULTIMOD.	Tester de cable multimodular MT-7051N
TESTER DIG. DT-830B	Multimetro digital uni-t dt-830b
TESTER DIG. DT-830D	Multimetro digital uni-t dt-830d
TESTER DIG.IZR160	Tester digital c/buzzer
TESTER DIG.IZR4300	Tester dig.Prof.c/buzzer y Puerto USB
TESTER MEDIDOR SMD	Medidor de componentes smd
TESTER PUNTA C/FBN	Punta de tester corta c/ficha banana negra
TESTER PUNTA C/FBR	Punta de tester corta c/ficha banana roja
TESTER PUNTA CN	Punta de tester corta negra
TESTER PUNTA CR	Punta de tester corta roja
TESTER PUNTA LN	Punta de tester larga negra
TESTER PUNTA LR	Punta de tester larga roja

THA-12L	RELAY 12V 0.15W 12.5*7.5*10 1A@30VDC
THU-12-03	RELAY 12V-1.0A-1 INV -400 OHMS 16*11mm
TI020150=DT128V	BORNERAS TIPO WIRE-WRAPPING 2PINS
TI030150=DT128V	BORNERAS TIPO WIRE-WRAPPING 3PINS
TIC106D	tirist.400v 4A/RMS,TO-220
TIC160	Tiristor 400V 4A/RMS. TO-220
TIP122 ST	NPN DARLINGTON TR. 100V/3A/20W
TIP125 FSC	XTRN PNP 5A 60V
TIP127 ST	PNP DARLINGTON 100V/8A/65W - PWR AMP
TIP146 ST	PNP 100V/6A/125W
TIP31C FSC	NPN 100V/3A/40W
TIP32C ST	PNP 100V/3A/40W
TIP41 FSC	NPN
TIP42CTU FSC	PNP 100V/6A/65W
TJ02515391	TJ PITCH 5.08mm 2 PINOS 90* VERDE
TJ0270500000G	EURO TJ PITCH 5.0mm 2 pins Verde Hembra
TJ03515391	CONECTOR TJ PITCH 5.08mm 3 PINOS
TJ0370500000G	EURO TJ PITCH 5.0mm 3pins Verde
TJ0470500000G	EURO TJ PITCH 5.0mm 4pins Verde
TJ05515091	T.BLOCK PLUGGABLE 5CON.P.5.08mm(-)(MT)
TJ0670500000G	EURO TJ PITCH 5.0mm 6pins Verde
TJ0870500000G	EURO TJ PITCH 5.0mm 8pins Verde
TL04-061	CHOKE COIL
TL061CN DIP8	LOW POWER, BIPOLAR JFET
TL062CN DIP8 ST	OPERACIONAL JFET BAJA POTENCIA
TL064CN DIP14 ST	CUADRUPLE OPERACIONAL JFET BAJA POTENCIA
TL082CP DIP8 ST	DOBLE OPERACIONAL DE ENTRADA JFET
TL084CN DIP14 ST	QUADRUPLE OPERACIONAL JFET
TL11202010	LINE FILTER
TL47CHOKE	BOBINA PARA BUZZER
TL494CN DIP16 TI	SMPS CONTROLLER
TLM-3SMA(3MTS)AK	GSM ANTENNA 800/1900MHz QUAD BAND SMA
TM20PF KYOCERA	TRIMMER 20PF
TN0.1X35 KING	CAP. TANTALIO 0.1 uF * 35 V
TN10X16 CAR	CAP. TANTALIO 10uF * 16V
TN10X25 AVX	CAP. TANTALIO 10uF * 25V
TN1X25 M KING	CAP. TANTALIO 1 uF * 25 V +/- 20%
TN1X35 M AVX	CAP. TANTALIO 1uF * 35V +/-20%
TN1X35 M KING	CAP. TANTALO 1uF * 35V +/-20%
TN2.2X16 CAR	CAP. TANTALIO 2.2uF * 16V
TN2.2X35 KING	CAP. TANTALIO 2.2 uF * 35 V
TN22X16 CAR	CAP. TANTALIO 22uF * 16V
TN4.7X50 PAN	CAP. TANTALIO 4.7uF * 50V
TNA-1C-1216	RELAY 12V 240Vac 15A 1 FORM C
TNA-1C-2416	RELAY 24V 240Vac 15A 1 FORM C
TNH0-204M	PRESET HORIZONTAL 200K
TNV0-502M	PRESET VERTICAL 5K
TNV0-504M	PRESET VERTICAL 500K
TNY276PN	CONVERSOR AC/DC 12V 132KHZ
TO-220-BUS	SILICONE RUBBER BUSHING
TO-220-INS	TO220 SILICONE RUBBER INSULATOR
TOF-3461AGN CC-N	DISPLAY 7 SEG. 0.36"x4 VERDE C.C
TOF-3461AMRL-N	DISPLAY 7 SEG. 0.36inx4 ROJO C.C
TOL-50ARGDWGA	LED 5mm BICOLOR
TOMA EXT TEL AA4C	Toma exterior tel. americana autoadhesiva 4 contac
TOMA EXT TEL DAA	Toma exterior tel. doble americana autoadhesiva

TOS-3104AG-N	LED DISP. 0.3in VERDE C.C.
TOS-3104AMRL-B	LED DISP. 0.3in ROJO C.C.
TOS-3104BE-B	LED DISP. 0.3in NARANJA ANODO
TOS-3191AH	DISPLAY 7 SEG. 0.39in ROJO C.C
TOS-5121AH-9B9.5	LED DISPLAY HI RED 0.52in C.C FLAT PIN
TOS5121AMG-5B-14	LED DISPLAY HI GREEN 0.52in C.C FLAT PIN
TOT-3361AMG-B4	DISPLAY 7 SEG. 0.36"X3 VERDE C.C
TRABA PUERTA TV C/LL	Traba puerta para tv c/llave
TRABA PUERTA TV S/LL	Traba puerta para tv s/llave
TRAFO 220V12V1A12W	transformador 220v 12v x 1A 12W
TRAFO 220V12V4A50W	transformador 220v 12V x 4A 50W
TRAFO 220V12V500MA12	transformador 220v 12v x500ma 12W
TRAFO 220V15V1A15W	transformador 220V 15V x 1A 15W
TRW-2.4GHZ	MODULO RF 2.4GHz
TSAA-2 4.3MM	MICRO SWITCH SOFT TOUCH 6*6*4.4mm
TSAB-2 160GF	MICRO SWITCH SOFT TOUCH 6*6*5.1mm
TSAC-2 160GF	M.SW. S.TOUCH 6*6*7.3mm (boton redondo)
TSAD-2	MICRO SWITCH SOFT TOUCH 6*6*9.5mm
TSAE-2	MICRO SWITCH SOFT TOUCH 6*6*13mm
TSAF-2	MICRO SWITCH SOFT TOUCH 6*6*17mm
TSHA-2	MICRO SW. SOFT TOUCH 6*3.5*4.3mm
TSHB-2P	MICRO SW. SOFT TOUCH 6*3.5*5.0mm
TSHB-3P 260GF	MICRO SW. SOFT TOUCH 6*3.5*5.0mm
TSLW-3SL 3.5MM	TACT SWITCH SMD STEM 3.5mm
TS LX-2S	MICRO SWITCH SOFT TOUCH 6*6*2mm 160GF
TSQA-2 160GF	MICRO SWITCH SOFT TOUCH 12*12*4.3mm
TSQB-2 160G	MINI SOFT TOUCH 12X12mm 7.5mm ALTURA
TSTA-2	SOFT TOUCH 6*6*4.3mm 2PIN
TSTB-2 160GF	SOFT TOUCH 6*6*5mm 2PIN
TSUY-3S 2.5 MM	TACT SWITCH 2.5mm 260gf
TSVA-3L	MICRO SW. SOFT TOUCH 90deg 3.15mm 260gf
TSVC-2 5.85MM	MICRO SW. SOFT TOUCH 90deg 5.85mm
TSVD-2 8.35MM	MICRO SW. SOFT TOUCH 90º 8.35mm
TSVE-11.85 BAJO	MICRO SW. SOFT TOUCH 90º 11.85mm
TSVF-2 15.85MM	MICRO SW. SOFT TOUCH 90º 15.85mm
TSWBF-2 W.PROOF	SOFT TOUCH 10*10*13mm 160gf WATER PROOF
TTC05103	TERMISTOR NTC 10KOhm 25°C
TTC05103 LF	TERMISTOR NTC 10KOhm 25degC
TTC05203 LF	TERMISTOR NTC 20KOhm 25 deg C
TTC05223	TERMISTOR NTC 22KOhm 25°C
TTC05253	TERMISTOR NTC 25KOhm 25°C
TTC05472	TERMISTOR NTC 4K7 Ohm 25°C
TURB. 12V 2.5 C/BUJ.	turbina 12x 2.5"(80x80x15)
TURB. 12V 2.5 C/BUJE	turbina 12x 2.5"(60x60x25)
TURB. 12V 3 C/BUJE	turbina 12x 3"(80x80x25)
TURB. 12V 3 C/RULE C	turbina 12x 3"(80x80x25) c/con
TURB. 12V 3 C/RULEM	Turbina 12v 3"(80x80x25)s/conec
TURB. 12V 3.5 C/RULE	turbina 12x 3.5"(92x92x25)
TURB. 12V 4 C/BUJE	Turbina 12v 4" (120x120x25)
TURB. 220V 3 C/BUJE	Turbina 220v 3" c/buje (80x80x25)
TURB. 220V 3 C/RULEM	Turbina 220v 3" c/rulem (80x80x25)
TURB. 220V 6 C/RULEM	turbina 220x 6"(170x150x50)
TWS433-9A 6PINS	MODULO TRANSMISOR 433.9MHZ
TWS-BS-3(433) LF	MODULO TRANSMISOR 433.9MHZ
TWS-BS-418 4PINS	MODULO TRANSMISOR 418 MHZ
TYD03 CN	MINI BUZZER 3V

TYD06 TA	MINI BUZZER 5V/6V
TYD09 SPL	MINI BUZZER 9V
TYD12 TA	MINI BUZZER 12V
TZ03P450E169B00	TRIMMER 40PF
TZ03P600E169B00	TRIMMER 50PF
TZ03Z050F169B00	TRIMMER 5pF
TZ03Z070E169B00	TRIMMER 7pF
TZ03Z070F169B00	TRIMMER 7pF
TZ03Z100E169B00	TRIMMER 10pF
TZ03Z100F169B00	TRIMMER 10pF
UA741CN ST	AMPLIFICADOR OPERACIONAL
UG-9664GFDADF02	96xRGBx64-FULL COLORS 27.2x21.5x1.6mm
UGN3503U	DISPOSITIVO DE EFECTO HALL
ULN2003 SOIC16TI	PERIPHERAL DRIVER ARRAY- TTL
ULN2003AP LF TOS	ARRAY DARLINGTON, ENTRADA TTL
ULN2003AP TOS	ARRAY DARLINGTON, ENTRADA TTL
ULN2004A TOS	ARRAY DARLINGTON, ENTRADA CMOS
UR1007AP	RECEPTOR ULTRASONICO 10mm
USB2UART	ADAPTADOR USB A UART
UT1007AP	TRANSMISOR ULTRASONICO 10mm
V07220-14 CNR EN	VARISTOR 07mm DIA. 22V 14VACrms
V07270-17	VARISTOR 07mm DIA. 27V 17VACrms
V07271-175	VARISTOR 07mm DIA. 270V 175VACrms
V07330-20 CNR	VARISTOR 07mm DIA. 33V 20VACrms
V07390-25	VARISTOR 07mm DIA. 39V 25VACrms
V07431-275 CNR	VARISTOR 07mm DIA. 430V 275VACrms
V07470-30	VARISTOR 07mm DIA. 47V 30VACrms
V07680-40	VARISTOR 07mm DIA. 68V 40VACrms
V10151-95	VARISTOR 10mm DIA. 150V 95VACrms
V10271-175	VARISTOR 10mm DIA. 270V 175VACrms
V10330-20 CERA	VARISTOR 10mm DIA. 33V 20VACrms
V14391-250	VARISTOR 14mm DIA. 390V 250VACrms
V20361-230	VARISTOR 20mm DIA. 360V 230VACrms
VG D/TR7	LED SMD VERDE
VMN-10G02A0 LF	MICRO SWITCH C/ACTUADOR 27.2mm
VMN-10G03A0	MICRO SWITCH C/ACTUADOR 51.1mm
W06M WX	PUENTE DIODOS 1.5A 600V
W10M WX	PUENTE DIODOS 1.5A 1000V
WT2273	EI19 600-600 OHM AUDIO TRANSFORMER
WT-2935	TRANSFORMADOR PARA PIEZO SIREN
WT-3093RM6	RM6 600-600 OHM TRANSFORMADOR AUDIO
X KIT	KIT C/ 3 XB24 Y 1 USB2UART
XB24-Z7WIT-004	Módulo Xbee Zigbee 2mW -95dBm Ant Monopolo
XBOARD	PLACAS QUE INTEGRAN EL X KIT
XBP24-ACI-001	Módulo XBee-Pro 802.15.4 60mW -100dBm Ant Chip
XBP24-Z7CIT-004	MODULO TX/RX 2.4Ghz 2mW 120m -95dBm
XL10.24M HC49U	CRISTAL 10.24MHZ (HC49U)
XL10M-32PF-HC49U	CRISTAL 10.000000 MHZ (HC49U)
XL11.06M-HC49S	CRISTAL 11.0592 MHZ (HC49S)
XL12M-HC49SM	CRISTAL 12.000000 MHZ (HC49SM)
XL12M-HC49U	CRISTAL 12.000000 MHZ (HC49U) 20pf
XL16M-12PF-HC49S	CRISTAL 16.000000 MHZ 12PF (HC49S)
XL16M-12PF-HC49U	CRISTAL 16.000000 MHZ 12PF (HC49U)
XL16M-HC49SM	CRISTAL 16.000000 MHZ SMD
XL2.457M-HC49U	CRISTAL 2.4576MHz (HC49U) 20pf
XL20M-HC49U	CRISTAL 20MHZ 20pf (HC49U)

XL20M-UM5 SDE	CRISTAL 20MHZ IN AT CUT
XL24M-HC49U 20PP	CRISTAL 24 MHZ 10PF 20PPM (HC49U)
XL27M-HC49U	CRISTAL 27 MHZ (HC49U)
XL3.579M-HC49S	CRISTAL 3.579545 MHZ 30PPM 16PF (HC49S)
XL3.582M-HC49S	CRISTAL 3.582056 MHZ (HC49S) perfil bajo
XL3.686M-49S SPK	CRISTAL 3.6864 MHZ (HC49S) perfilbajo
XL3.686M-49SM SD	CRISTAL 3.6864 MHZ SMD (HC49SM)
XL32.768-20-30PP	CRISTAL 32.768 KHZ (3*8)
XL32.768K 10PPM	CRISTAL 32.768 KHZ (3*8) 10ppm
XL32M 49S	CRISTAL 32MHz 20PF 30PPM (HC49S)
XL4.19M-HC49U	CRISTAL 4.194MHZ (HC49U)
XL40M-HC49U	CRISTAL 40MHz (HC49U)
XL4M-49S-16-20SP	CRISTAL 4.000000MHZ 16PF 20PPM HC49S
XL4MHC49S-16 SPK	CRISTAL 4.000000MHZ 30PPM 16PF HC49S
XL4M-HC49SM	CRISTAL 4.000000 MHZ 30PPM 16/20PF SMD
XL4M-HC49U-20PF	CRISTAL 4.000000 MHZ 30PPM 20PF HC49U
XL6M-HC49S SPK	CRISTAL 6.000000 MHZ 30PPM 20PF (HC49S)
XL6M-HC49U 30PPM	CRISTAL 6.000000 MHZ (HC49U)
XL7.37M-HC49S	CRISTAL 7.3728 MHZ
XL8M-HC49S SDE	CRISTAL 8MHZ 30PPM 20PF (HC49S)
YD75-1	PARLANTE 3" - 8 OHMS FERRITE
YH-R418	MODULO RECEPTOR 418MHZ (YNG HORNG)
YHR-SD3-5V-433 C	MODULO RECEPTOR 433,92MHZ (C/PINS) (YH)
YH-T418 (12V)	MODULO TRANSMISOR 418MHZ (YNG HORNG)
YHT433	MODULO TRANSMISOR 433.92MHZ
YL-0313B-04A	3mm Round AZUL CLARO 2000-3000mcd 465nm
ZE10.0-1 ON	ZENER 10.0 V 1 W= 1N4740
ZE10V-0.2W SOD	ZENER 10V 0.2W SOD323
ZE10V-0.2W SOT	ZENER 10V 0.2W SOT23
ZE11.0-0.5	ZENER 11.0 V 1/2 W
ZE12 -0.5SMD SEM	ZENER 12 V 1/2 W MINIMELF
ZE12.0-0.5 T/B	ZENER 12.0 V 1/2 W
ZE12.0-1 T/B	ZENER 12.0 V 1 W= 1N4742
ZE12.0-5W	ZENER 12.0V 5W
ZE13.0-0.5 T/B	ZENER 13.0 V 1/2 W
ZE13.0-1	ZENER 13.0 V 1 W= 1N4743
ZE13-0.5 SMD	ZENER 13 V 1/2 W MINIMELF
ZE15.0-0.5 T/B	ZENER 15.0 V 1/2 W
ZE15.0-1 T/B	ZENER 15.0 V 1 W= 1N4744
ZE18.0-0.5 T/B	ZENER 18.0 V 1/2 W
ZE18.0-1	ZENER 18.0 V 1 W= 1N4746
ZE18-0.5 SMD	ZENER 18 V 1/2 W
ZE2.4V-0.2W SOT	ZENER 2.4V 0.2W SOT23
ZE2.7-0.5 SMD	ZENER 2.7 V 1/2 W
ZE2.7-0.5 TB	ZENER 2.7 V 1/2 W
ZE20.0-0.5	ZENER 20.0 V 1/2 W
ZE20V-0.2W SOT	ZENER 20V 0.2W SOT23
ZE22 -0.5SMD SEM	ZENER 22 V 1/2 W
ZE24.0-0.5	ZENER 24.0 V 1/2 W
ZE24.0-1	ZENER 24.0 V 1 W= 1N4749
ZE3.0-0.5 TB	ZENER 3.0 V 1/2 W
ZE3.3-0.5 TB	ZENER 3.3 V 1/2 W
ZE3.3V-0.2W SOD	ZENER 3.3V 0.2W SOD323
ZE3.6-0.5 TB	ZENER 3.6 V 1/2 W
ZE3.9-0.5	ZENER 3.9 V 1/2 W
ZE30.0-1	ZENER 30.0 V 1 W= 1N4751

ZE33V-0.2W SOD	ZENER 33V 0.2W SOD32
ZE33V5W	Zener 5w 33v
ZE39.0-0.5	ZENER 39.0 V 1/2 W
ZE4.3-0.5 TB	ZENER 4.3 V 1/2 W
ZE4.7-0.5 SMD	ZENER 4.7 V 1/2 W
ZE4.7-0.5 TB	ZENER 4.7 V 1/2 W
ZE5.1-0.5 SMD	ZENER 5.1 V 1/2 W
ZE5.1-0.5 TB	ZENER 5.1 V 1/2 W +/- 5%
ZE5.1-0.5T/R NXP	ZENER 5.1 V 1/2 W
ZE5.1-1 TB	ZENER 5.1 V 1 W = 1N4733
ZE5.1-1 TR PHI	ZENER 5.1 V 1 W = 1N4733
ZE5.1V-0.2W SOD	ZENER 5.1V 0.2W SOD323
ZE5.1V-0.2W SOT	ZENER 5.1V 0.2W SOT23
ZE5.6-0.5 SMD	ZENER 5.6 V 1/2 W
ZE5.6-0.5 TB	ZENER 5.6 V 1/2 W
ZE5.6-1 TB SEM	ZENER 5.6 V 1 W = 1N4734
ZE5.6V-0.2W SOT	ZENER 5.6V 0.2W SOT23
ZE5V1-5W ON	ZENER 5.1V 5W
ZE6.2-0.35	ZENER 6.2 V 0.35W SOT23
ZE6.2-0.5 SMD	ZENER 6.2 V 1/2 W SMD
ZE6.2-0.5 TB	ZENER 6.2 V 1/2 W
ZE6.8-0.5 SMD	ZENER 6.8 V 1/2 W SMD
ZE7.5-0.5 SMD	ZENER 7.2 V 1/2 W
ZE8.2-0.5 SMD	ZENER 8.2 V 1/2 W
ZE8.2-1	ZENER 8.2 V 1 W = 1N4738
ZE9.1-0.5	ZENER 9.1 V 1/2 W
ZE9.1-0.5 SMD	ZENER 9.1 V 1/2 W
ZE9.1-1 TB	ZENER 9.1 V 1 W = 1N4739
ZTH455E	RESONADOR 455KHZ